

adunox "Tape-Collating"
-90% Plastic



Collated Screws 8.1

simple. quick.

adunox  [®]

THE NONSTANDARD FASTENER COMPANY


In addition to our wide range of products, we offer custom-made solutions in the field of collated fasteners. Our very good warehousing makes it possible to deliver our products within extremely short delivery times.

Our mission


- Highest Quality Standards and Reliability
- Responsibility against all our Employees, Fellow Men and our Environment
- Successful Future with all our Business Partners



verkauf@adunox.com
www.adunox.com



Wagework
For different collated systems



Collating Technology
For standard and special systems



Large Inventory
Short delivery times




Quality Control

That's what we call quality:

We believe that quality is not defined solely by accreditation and certification.

Reliability, continuity, innovation and manufacturing products that work for our partners and us are the key to success.



Product Design

Innovation:

Through continuous innovation, we enable our partners to keep their finger on the pulse.

In the development of new products, functionality is always in the focus.



Hightech Production

Plastics injection moulding:

Our plastic magazines for the Collating System adunox-ONE are manufactured with maximum precision using by a certified company which uses our tools.

Content




BELT SYSTEM

COLLATED SCREWS

Drywall Screws Phosphated	6 - 8
OSB Wood Panel Screws	8
Woodwork Screws Zinc Plated	8 - 10
Woodwork Screws Stainless Steel A2	10 - 11
SPAX® Universal Screws and Wood Panel Screws WIROX®	13
BLUEfast500® Drywall Screws	15
Wood Screws for the Packing Industry	17

AUTO-FEED-SCREWDRIVER

Cordless Auto-Feed-Screwdriver LA25-55M	18
Auto-Feed-Screwdriver LE25-55M	18
Cordless Auto-Feed-Screwdriver LA25-80M	19
Auto-Feed-Screwdriver LE25-80M	19
Attachments and Extensions for Makita®	19
Cordless Auto-Feed-Screwdriver LA25-55F	20
Auto-Feed-Screwdriver LE25-55F	20
Cordless Auto-Feed-Screwdriver LA25-80F	21
Auto-Feed-Screwdriver LE25-80F	21
Attachments and Extensions for Fein®	21



COIL

COLLATED SCREWS

Drywall Screws Phosphated	22
Woodwork Screws Zinc Plated	23 - 25
Woodwork Screws Stainless Steel A2	25 - 26
Woodwork Screws Stainless Steel A4	25
Woodwork Screws C1/AISI 410 „Stainless Steel“	26

AUTO-FEED-SCREWDRIVER

Cordless Auto-Feed-Screwdriver CA40-80D	26
Cordless Auto-Feed-Screwdriver CA25-50M	27



COIL U-TAPE

COLLATED SCREWS

Drywall Screws Phosphated	27
---------------------------	----



adunox® ONE-XL

COLLATED SCREWS

SuperUni Wood Screws Zinc Plated	30
----------------------------------	----

AUTO-FEED-SCREWDRIVER

Cordless Auto-Feed-Screwdriver OXA80-100D2	31
Cordless Auto-Feed-Screwdriver OXA80-160D2	31



adunox® ONE-S

COLLATED SCREWS

Slate Screws Stainless Steel A2	32
Window Screws Zinc Plated	32

AUTO-FEED-SCREWDRIVER

Cordless Auto-Feed-Screwdriver OSA30-35B2	32
---	----



adunox® HEX

AUTO-FEED-SCREWDRIVER

Cordless Auto-Feed-Screwdriver HLA22-38M	34
Cordless Auto-Feed-Screwdriver HLA22-38F	35


COLLATED SCREWS

Farmer Screws Zinc Plated	35
Farmer Screws C1/AISI 410 „Stainless Steel“	35



adunox[®]-tsr

Presentation	36
The Brilliant Magazine Box	37



AUTO-FEED-SCREWDRIVER

Cordless Auto-Feed-Screwdriver LOA40-60M2	38
---	-----------

COLLATED SCREWS

Angle-Bracket Screws Paper Collated	39
-------------------------------------	-----------



COLLATED NAILS

Anchor Nail Paper Collated	40
Anchor Nail Plastic Collated	40



BIT-CENTER & ACCESSOIRES

Auto-Feed-Screwdrivers Belt System	41 - 43
Auto-Feed-Screwdrivers Coil System	44
Screw-in Desices & Bit-Holder	46



CORDLESS HEX SCREWDRIVER

Cordless Hex Screwdriver HBA8F2	45
---------------------------------	-----------



CORDLESS SCREWDRIVER

Cordless Screwdriver UPA5/6	49
-----------------------------	-----------



LOOSE SCREWS BOX PACKED

Angle-Bracket Screws	39
Anchor Nail	40
BLUEfast500 [®] Drywall Screws	50
Drywall Screws Phosphated	51 - 52
OSB Wood Panel Screws	52
Metal Framing Screws	52
Plumbing Screws	54 - 55
Wood Cladding Screws adunox [®] -view	57
Woodwork Screws Stainless Steel A2	58 - 60
Woodwork Screws C1/AISI 410 „Stainless Steel”	59
Slate Screws Stainless Steel A2	60
Carpentry Wood Screws with Washer Head Stainless Steel A2	61
Farmer Screws	62 - 63
Woodwork Screws Zinc Plated	64 - 67



adunox[®]-ADHESIVE TECHNOLOGY

Cordless Glue Gun	69
Adapter and Hot Melt Adhesive	70



adunox[®]-FUN

adunox [®] -FUN	76 - 77
--------------------------	----------------

Collated Screws – Belt System

Collated Screws Belt System



Premium Collated Screws with functioning guarantee

- Long Cylinder
- Injected Screw Belt in Best Quality

Due to this process, we guarantee trouble-free working in all well-known auto-feed screwdrivers.



adunox GmbH
63679 Schotten (Germany)

13

**Referenznr. 12013
EN 14566**

Plasterboard screw (Metal)
EN 14566 class 48/THN

Manufacturing code:
M3.5-3.9 x 19-55-SS

Material: Carbon steel

Reaction to fire: A1

Flexural strength: Pass

Product

Drywall Screws with Fine Thread, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.5 × 25 mm	1101010-3525	PH2	1,000 pcs	180,000 pcs
3.5 × 35 mm	1101010-3535	PH2	1,000 pcs	180,000 pcs
3.5 × 45 mm	1101010-3545	PH2	1,000 pcs	180,000 pcs
3.9 × 25 mm	1101010-3925	PH2	1,000 pcs	180,000 pcs
3.9 × 30 mm	1101010-3930	PH2	1,000 pcs	180,000 pcs
3.9 × 35 mm	1101010-3935	PH2	1,000 pcs	180,000 pcs
3.9 × 45 mm	1101010-3945	PH2	1,000 pcs	180,000 pcs
3.9 × 55 mm	1101010-3955	PH2	1,000 pcs	180,000 pcs



These Screws are also available in smaller boxes with **500 Screws per box**.



Product

Drywall Screws with Coarse Thread, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 25 mm	1102010-3925	PH2	1,000 pcs	180,000 pcs
3.9 × 30 mm	1102010-3930	PH2	1,000 pcs	180,000 pcs
3.9 × 35 mm	1102010-3935	PH2	1,000 pcs	180,000 pcs
3.9 × 41 mm	1102010-3941	PH2	1,000 pcs	180,000 pcs
3.9 × 45 mm	1102010-3945	PH2	1,000 pcs	180,000 pcs
3.9 × 55 mm	1102010-3955	PH2	1,000 pcs	180,000 pcs
4.2 × 75 mm	1102005-4275	PH2	500 pcs	90,000 pcs



These Screws are also available in smaller boxes with **500 Screws per box**.



Collated Screws – Belt System

Product

Drywall Screws with Drill Point, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.5 × 25 mm	1103010-3525	PH2	1,000 pcs	180,000 pcs
3.5 × 35 mm	1103010-3535	PH2	1,000 pcs	180,000 pcs
3.5 × 45 mm	1103010-3545	PH2	1,000 pcs	180,000 pcs
3.5 × 55 mm	1103010-3555	PH2	1,000 pcs	180,000 pcs

These Screws are also available in smaller boxes with **500 Screws per box**.



Product

Tough Board Screws with Hi-Lo-Thread, self-countersinking nibs, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 19 mm	1104010-3919	PH2	1,000 pcs	180,000 pcs
3.9 × 22 mm	1104010-3922	PH2	1,000 pcs	180,000 pcs
3.9 × 30 mm	1104010-3930	PH2	1,000 pcs	180,000 pcs
3.9 × 35 mm	1104010-3935	PH2	1,000 pcs	180,000 pcs
3.9 × 45 mm	1104010-3945	PH2	1,000 pcs	180,000 pcs

These Screws are also available in smaller boxes with **500 Screws per box**.



Product

Self-Drilling Tough Board Screws, ribs, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.5 × 25 mm	1109010-3525	PH2	1,000 pcs	180,000 pcs

Product

Hardboard Screws, screw head with cutting edge, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 25 mm	1113010-3925	PH2	1,000 pcs	180,000 pcs
3.9 × 38 mm	1113010-3938	PH2	1,000 pcs	180,000 pcs
3.9 × 45 mm	1113010-3945	PH2	1,000 pcs	180,000 pcs



**BITS for
SCREWDRIVERS**
on page 41.

Collated Screws – Belt System

Product

Drywall Screws Plasterboard/Plasterboard, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.5×38 mm	1102010-5538	PH2	1,000 pcs	180,000 pcs

Product

Profile Connecting Screws, trapezium head, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9×11 mm	1101010-3911	PH2	1,000 pcs	180,000 pcs

Product

OSB Metal Stud Screws with Fine Thread, drillbit, yellow zinc plated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9×30 mm	1263G-39030	TX20	1,000 pcs	180,000 pcs

Product


OSB Wood Panel Screws with Part Thread, ribs, cut point, yellow zinc plated



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.5×50 mm	1227STGVPH-45050	PH2	1,000 pcs	180,000 pcs
4.5×60 mm	1227STGVPH-45060	PH2	1,000 pcs	180,000 pcs
4.5×70 mm	1227STGVPH-45070	PH2	500 pcs	90,000 pcs

Product

Woodwork Screws, countersunk head, ribs, yellow zinc plated, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0×30 mm	1231G-40030	TX20	1,000 pcs	180,000 pcs
4.0×35 mm	1231G-40035	TX20	1,000 pcs	180,000 pcs
4.0×40 mm	1231G-40040	TX20	1,000 pcs	180,000 pcs
4.0×45 mm	1231G-40045	TX20	1,000 pcs	180,000 pcs
4.0×50 mm	1231G-40050	TX20	1,000 pcs	180,000 pcs
4.0×55 mm	1231G-40055	TX20	1,000 pcs	144,000 pcs
5.0×70 mm	1231G-50070	TX25	1,000 pcs	144,000 pcs
5.0×75 mm	1231G-50075	AX25 (TX25)	1,000 pcs	72,000 pcs
5.0×80 mm	1231G-50080	AX25 (TX25)	500 pcs	72,000 pcs



Product

Woodwork Screws with Part Thread, ribs, hi-lo-thread, nail point, yellow zinc plated



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.2 × 30 mm	1107310-4230	PH2	1,000 pcs	180,000 pcs
4.2 × 35 mm	1107310-4235	PH2	1,000 pcs	180,000 pcs
4.2 × 40 mm	1107310-4240	PH2	1,000 pcs	180,000 pcs
4.2 × 45 mm	1107310-4245	PH2	1,000 pcs	180,000 pcs
4.2 × 55 mm	1107308-4255	PH2	800 pcs	144,000 pcs

Product

Chipboard Screws with Full Thread, reinforced head, chrome-6-free, yellow zinc plated



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 25 mm	1105310-4025	PZ2	1,000 pcs	180,000 pcs
4.0 × 30 mm	1105310-4030	PZ2	1,000 pcs	180,000 pcs
4.0 × 35 mm	1105310-4035	PZ2	1,000 pcs	180,000 pcs
4.0 × 40 mm	1105310-4040	PZ2	1,000 pcs	180,000 pcs
4.0 × 45 mm	1105310-4045	PZ2	1,000 pcs	180,000 pcs
4.0 × 50 mm	1105310-4050	PZ2	1,000 pcs	180,000 pcs
4.0 × 55 mm	1105308-4055	PZ2	800 pcs	144,000 pcs

Product

Chipboard Screws with Full Thread, yellow zinc plated



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 25 mm	1110310-4025	TX20	1,000 pcs	180,000 pcs
4.0 × 30 mm	1110310-4030	TX20	1,000 pcs	180,000 pcs
4.0 × 35 mm	1110310-4035	TX20	1,000 pcs	180,000 pcs
4.0 × 40 mm	1110310-4040	TX20	1,000 pcs	180,000 pcs
4.0 × 45 mm	1110310-4045	TX20	1,000 pcs	180,000 pcs
4.0 × 50 mm	1110310-4050	TX20	1,000 pcs	180,000 pcs

Product

Universal Wood Screws/Chipboard Screws with Part Thread, yellow zinc plated



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 35 mm	1109310-4035	PZ2	1,000 pcs	180,000 pcs
4.0 × 40 mm	1109310-4040	PZ2	1,000 pcs	180,000 pcs
4.0 × 45 mm	1109310-4045	PZ2	1,000 pcs	180,000 pcs
4.0 × 50 mm	1109310-4050	PZ2	1,000 pcs	180,000 pcs
4.0 × 55 mm	1109308-4055	PZ2	800 pcs	144,000 pcs

Collated Screws – Belt System

Product

Chipboard Screws with Full Thread, blue zinc plated



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 25 mm	1105710-4025	PZ2	1,000 pcs	180,000 pcs
4.0 × 30 mm	1105710-4030	PZ2	1,000 pcs	180,000 pcs
4.0 × 35 mm	1105710-4035	PZ2	1,000 pcs	180,000 pcs
4.0 × 40 mm	1105710-4040	PZ2	1,000 pcs	180,000 pcs
4.0 × 45 mm	1105710-4045	PZ2	1,000 pcs	180,000 pcs
4.0 × 50 mm	1105710-4050	PZ2	1,000 pcs	180,000 pcs
4.0 × 55 mm	1105708-4055	PZ2	800 pcs	144,000 pcs

Product

Chipboard Screws with Full Thread, blue zinc plated



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 25 mm	1110710-4025	TX20	1,000 pcs	180,000 pcs
4.0 × 30 mm	1110710-4030	TX20	1,000 pcs	180,000 pcs
4.0 × 35 mm	1110710-4035	TX20	1,000 pcs	180,000 pcs
4.0 × 40 mm	1110710-4040	TX20	1,000 pcs	180,000 pcs
4.0 × 45 mm	1110710-4045	TX20	1,000 pcs	180,000 pcs
4.0 × 50 mm	1110710-4050	TX20	1,000 pcs	180,000 pcs

Product

Chipboard Screws with Full Thread, stainless steel A2, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 25 mm	1108410-4025	PZ2	1,000 pcs	180,000 pcs
4.0 × 30 mm	1108410-4030	PZ2	1,000 pcs	180,000 pcs
4.0 × 35 mm	1108410-4035	PZ2	1,000 pcs	180,000 pcs
4.0 × 40 mm	1108410-4040	PZ2	1,000 pcs	180,000 pcs
4.0 × 45 mm	1108410-4045	PZ2	1,000 pcs	180,000 pcs
4.0 × 50 mm	1108410-4050	PZ2	1,000 pcs	180,000 pcs

Product

Chipboard Screws with Full Thread, stainless steel A2, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 25 mm	1111410-4025	TX20	1,000 pcs	180,000 pcs
4.0 × 30 mm	1111410-4030	TX20	1,000 pcs	180,000 pcs
4.0 × 35 mm	1111410-4035	TX20	1,000 pcs	180,000 pcs
4.0 × 40 mm	1111410-4040	TX20	1,000 pcs	180,000 pcs
4.0 × 45 mm	1111410-4045	TX20	1,000 pcs	180,000 pcs
4.0 × 50 mm	1111410-4050	TX20	1,000 pcs	180,000 pcs

Collated Screws – Belt System

Product **Woodwork Screws with Full Thread**, raised countersunk head, stainless steel A2, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.5 × 30 mm	1112410-4530	TX20	1,000 pcs	180,000 pcs
4.5 × 35 mm	1112410-4535	TX20	1,000 pcs	180,000 pcs
4.5 × 40 mm	1112410-4540	TX20	1,000 pcs	180,000 pcs
4.5 × 45 mm	1112410-4545	TX20	1,000 pcs	180,000 pcs
4.5 × 50 mm	1112410-4550	TX20	1,000 pcs	180,000 pcs

adunox[®] VIEW

THE NOBLE WOOD CLADDING SCREW

Product **Wood Cladding Screws adunox[®]view**, raised countersunk head with fixing thread, special point, part thread, stainless steel A2, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.5 × 40 mm	1254A-45040	TX20	1,000 pcs	180,000 pcs
4.5 × 50 mm	1254A-45050	TX20	1,000 pcs	180,000 pcs
4.5 × 60 mm	1254A-45060	TX20	700 pcs	126,000 pcs
4.5 × 70 mm	1254A-45070	TX20	500 pcs	90,000 pcs

Product **Wood Cladding Screws ECO-Line**, raised countersunk head, ribs, cut point, part thread, stainless steel A2



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.5 × 50 mm	1256A-45050	TX20	1,000 pcs	180,000 pcs
4.5 × 60 mm	1256A-45060	TX20	700 pcs	126,000 pcs
4.5 × 70 mm	1256A-45070	TX20	500 pcs	90,000 pcs

More Wood Cladding Screws and further information about these Screws you find on pages 56 and 57!

Screw: **SPAX**[®]Collation: **adunox**[®]

SPAX Screws with optimised WIROX surface consistently meet the requirements of class T2 / C2nw in accordance with the future EN 14592 standard for dowel-type fasteners in timber structures. We are therefore already prepared to meet these future European requirements today. The label bears this symbol as required by the standard.


Compared with conventional bright galvanised Screws, SPAX with optimised WIROX surface clearly offer a higher corrosion protection.

The zinc layer thickness has been increased by 25% and now is 10µm – thus, the Screws comply with class T2 / C2nw requirements as per EN 14592.

The abbreviation A3J, used for coding the optimised WIROX surface in accordance with this international standard, is also printed on the label.

SPAX with optimised WIROX surface fulfil class 4 ("very high resistance") requirements in compliance with the European standard for corrosion resistance of building hardware.

WIROX surface with high protection against corrosion, it is free from chromium-VI, and is hence considerably more environmentally friendly than conventional surfaces.

NORM EN 14592**HIGH
CORROSION
PROTECTION****HIGH ZINC
LAYER
THICKNESS****NORM ISO 4042****NORM EN 1670****ENVIRON-
MENTAL
FRIENDLY**

Collated Screws – Belt System

Product

SPAX Universal Screws with Full Thread, countersunk head, wirox, zinc plated (blue)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 25 mm	1259H-40025	PZ2	500 pcs	on request
4.0 × 30 mm	1259H-40030	PZ2	500 pcs	on request
4.0 × 35 mm	1259H-40035	PZ2	500 pcs	on request
4.0 × 40 mm	1259H-40040	PZ2	500 pcs	on request
4.0 × 45 mm	1259H-40045	PZ2	500 pcs	on request
4.0 × 50 mm	1259H-40050	PZ2	500 pcs	on request
4.0 × 55 mm	1259H-40055	PZ2	500 pcs	on request

Product

SPAX Universal Screws with Full Thread, countersunk head, wirox, zinc plated (blue)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 25 mm	1260H-40025	TX20	500 pcs	on request
4.0 × 30 mm	1260H-40030	TX20	500 pcs	on request
4.0 × 35 mm	1260H-40035	TX20	500 pcs	on request
4.0 × 40 mm	1260H-40040	TX20	500 pcs	on request
4.0 × 45 mm	1260H-40045	TX20	500 pcs	on request
4.0 × 50 mm	1260H-40050	TX20	500 pcs	on request

Product

SPAX Wood Panel Screws (OSB) with Part Thread, countersunk head, wirox, zinc plated (blue)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.5 × 50 mm	1261H-45050	TX20	500 pcs	on request
4.5 × 60 mm	1261H-45060	TX20	500 pcs	on request
4.5 × 70 mm	1261H-45070	TX20	500 pcs	on request
4.5 × 80 mm	1261H-45080	TX20	500 pcs	on request

MULTI HEAD

Flush countersinking. Mills in wood and stops on metal.



GRAND SERRATIONS

For quick and secure fastening.



4CUT

No pre-drilling (wood-dependent), its point effectively reduces the splitting effect. The square end pushes aside the fibre of the wood and reduces the screwing-in torque.



BLUEfast500® – The Drywall Screws with 10× Higher Rust Protection



**BLUEfast500®
Drywall Screws**
The 10× higher rust protection
(500 hours salt spray test)

With the BLUEfast500® drywall Screws you avoid time-consuming and expensive rework caused through rust damage.

The Challenge

Drywall Screws are often exposed to many atmospheric effects with high humidity, due to the long transport on the sea, storage and processing, which often leads to early rust collarings.

This causes again and again financial damages, as the Screws may not longer be used in a professional way or already performed out work must be repaired.

When processing drywall Screws many reasons can be caused which leads to rust problems

For example:

- The Screws are exposed to wet environment
- During the filling of the Screws, the filling does have a too high humidity.
- Especially in critical areas like bathrooms or in coastal regions drywall Screws are not worked with the needed accuracy

The costs of drywall Screws are percentaged very small to the total construction investment, but they can lead to big losses if rust problems occur and complete walls or ceilings have to be repaired.

The Solution

With the BLUEfast500® drywall Screws you can avoid such problems.

The BLUEfast500® drywall Screws provide known advantages of "normal" drywall Screws, BUT with the excellent advantage of the 10× higher rust resistance.

Despite its higher resistance to rust, the free chrome 6 BLUEfast500® coating is, compared to a "normal" phosphated screw, much more environment friendly.

BLUEfast500® drywall Screws are ideal for ambitious craftsmen, who demands quality work done quickly and professionally.

BLUEfast500® – The Drywall Screws with 10x Higher Rust Protection

Product


BLUEfast500® Drywall Screws with Fine Thread



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9×25 mm	1101110-3925	PH2	1,000 pcs	180,000 pcs
3.9×35 mm	1101110-3935	PH2	1,000 pcs	180,000 pcs
3.9×45 mm	1101110-3945	PH2	1,000 pcs	180,000 pcs
3.9×55 mm	1101110-3955	PH2	1,000 pcs	180,000 pcs

Product

BLUEfast500® Drywall Screws with Coarse Thread



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9×25 mm	1102110-3925	PH2	1,000 pcs	180,000 pcs
3.9×30 mm	1102110-3930	PH2	1,000 pcs	180,000 pcs
3.9×35 mm	1102110-3935	PH2	1,000 pcs	180,000 pcs
3.9×41 mm	1102110-3941	PH2	1,000 pcs	180,000 pcs
3.9×45 mm	1102110-3945	PH2	1,000 pcs	180,000 pcs
3.9×55 mm	1102110-3955	PH2	1,000 pcs	180,000 pcs

Product

BLUEfast500® Drywall Screws with Drill Point



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9×25 mm	1103110-3525	PH2	1,000 pcs	180,000 pcs
3.9×35 mm	1103110-3535	PH2	1,000 pcs	180,000 pcs
3.9×45 mm	1103110-3545	PH2	1,000 pcs	180,000 pcs

Product

BLUEfast500® Tough Board Screws with Hi-Lo-Thread and Nibs



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9×19 mm	1104110-3919	PH2	1,000 pcs	180,000 pcs
3.9×30 mm	1104110-3930	PH2	1,000 pcs	180,000 pcs
3.9×45 mm	1104110-3945	PH2	1,000 pcs	180,000 pcs

Loose BLUEfast500® Drywall Screws are listet on page 50!



adunox ®

WOOD-PACKING SCREWS

SCREWING

Instead of Nailing



CHEAP

No expensive approvals are needed.



FAST

Extremely short screw-in time (Fine Thread).



Noise is always a stressful, disturbing and undesirable factor in everyday working life, especially in warehouses and production halls in all industries. According to the BGHW, this makes hearing loss one of the most common occupational diseases.

The reasons for this include loud tools such as impact wrenches, angle grinders and pneumatic nailers. At around 100 dB, pneumatic nailers are in a range where hearing damage can occur after only a short time.

Product

Wood-Packing Screws, part thread, yellow zinc plated



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.5 × 50 mm	1225G-45050	AX25 (TX25)	1,000 pcs	144,000 pcs
4.5 × 65 mm	1225G-45065	AX25 (TX25)	1,000 pcs	144,000 pcs
4.5 × 70 mm	1225G-45070	AX25 (TX25)	1,000 pcs	108,000 pcs
4.5 × 78 mm	1225G-45078	AX25 (TX25)	500 pcs	72,000 pcs

Advantages of the Wood-Packing Screw

- Part thread for tight fixture
- Small screw diameter for low wood displacement
- AX25-Drive for the best results

Protect your employees against:



AGAINST NOISE
for Health



Suitable for these screws we recommend our

Cordless Auto-Feed-Screwdriver LA25-80M2

Further information on page 19.



For all users of pneumatic nailers, especially in the packing industry, we have a healthy alternative!

Switching to auto-feed-screwdrivers reduces noise pollution enormously. This means significantly less damage to your hearing and less stress and strain in your daily work due to unwanted loud noises.

Auto-Feed-Screwdriver – Belt System – Up to 55 mm screw length

Product

Cordless Auto-Feed-Screwdriver LA25-55M2

Article code: LA25-55M2

25 - 55 mm

Makita®
DFS452

18V | 5.0 Ah
2x

0 - 4.000
r/min⁻¹



Further details



Cordless Auto-Feed-Screwdriver LA25-55M-NT

without batteries, without charger

Article code: LA25-55M-NT

25 - 55 mm

Makita®
DFS452

18V | 5.0 Ah
not incl.

0 - 4.000
r/min⁻¹



Further details

Product

Cordless Auto-Feed-Screwdriver LA25-55M2-S

with extension

Article code: LA25-55M2-S

25 - 55 mm

Makita®
DFS452

18V | 5.0 Ah
2x

0 - 4.000
r/min⁻¹

Extension
+ 520 mm



Further details



Cordless Auto-Feed-Screwdriver LA25-55M-NT-S

with extension, without batteries, without charger

Article code: LA25-55M-NT-S

25 - 55 mm

Makita®
DFS452

18V | 5.0 Ah
not incl.

0 - 4.000
r/min⁻¹

Extension
+ 520 mm



Further details

Product

Auto-Feed-Screwdriver LE25-55M

Article code: LE25-55M

25 - 55 mm

Makita®
FS4300

570 W

0 - 4.000
r/min⁻¹



Further details



Product

Auto-Feed-Screwdriver LE25-55M-S

with extension

Article code: LE25-55M-S

25 - 55 mm

Makita®
FS4300

570 W

0 - 4.000
r/min⁻¹

Extension
+ 520 mm



Further details



Up to 80 mm screw length

Product

Cordless Auto-Feed-Screwdriver LA25-80M2

Article code: LA25-80M2



25 - 80 mm	Makita [®] DFS250	18V 5.0 Ah 2x	0 - 2.500 r/min ⁻¹
------------	-------------------------------	--------------------	----------------------------------



Further details

Cordless Auto-Feed-Screwdriver LA25-80M-NT

without batteries, without charger

Article code: LA25-80M-NT

25 - 80 mm	Makita [®] DFS250	18V 5.0 Ah not incl.	0 - 2.500 r/min ⁻¹
------------	-------------------------------	---------------------------	----------------------------------



Further details

Product



Cordless Auto-Feed-Screwdriver LA25-80M2-S

with extension

Article code: LA25-80M2-S

25 - 80 mm	Makita [®] DFS250	18V 5.0 Ah 2x	0 - 2.500 r/min ⁻¹	Extension + 520 mm
------------	-------------------------------	--------------------	----------------------------------	-----------------------



Further details

Cordless Auto-Feed-Screwdriver LA25-80M-NT-S

with extension, without batteries, without charger

Article code: LA25-80M-NT-S

25 - 80 mm	Makita [®] DFS250	18V 5.0 Ah not incl.	0 - 2.500 r/min ⁻¹	Extension + 520 mm
------------	-------------------------------	---------------------------	----------------------------------	-----------------------



Further details

Product

Auto-Feed-Screwdriver LE25-80M

Article code: LE25-80M



25 - 80 mm	Makita [®] FS4300	570 W	0 - 4.000 r/min ⁻¹
------------	-------------------------------	-------	----------------------------------



Further details

Product

Auto-Feed-Screwdriver LE25-80M-S

with extension

Article code: LE25-80M-S



25 - 80 mm	Makita [®] FS4300	570 W	0 - 4.000 r/min ⁻¹	Extension + 520 mm
------------	-------------------------------	-------	----------------------------------	-----------------------



Further details

**Attachment for collated
Screws with adapter**



Further details

Article code: LV25-55M



25 - 55 mm

Makita[®]
DFS452

Makita[®]
FS4300

**Attachment for collated
Screws with adapter**



Further details

Article code: LV25-80M



25 - 80 mm

Makita[®]
DFS250

Makita[®]
FS4300

Extension



Further details

Article code: V520M



Extension
+ 520 mm

Makita[®]
DFS250

Makita[®]
FS4300

Auto-Feed-Screwdriver – Belt System – Up to 55 mm screw length

Product

Cordless Auto-Feed-Screwdriver LA25-55F2

Article code: LA25-55F2

25 - 55 mm

Fein®
ASCS 6.3 Select

18V | 5.0 Ah
2x

0 - 1.700
r/min⁻¹



Further details



Cordless Auto-Feed-Screwdriver LA25-55F-NT

without batteries, without charger

Article code: LA25-55F-NT

25 - 55 mm

Fein®
ASCS 6.3 Select

18V | 5.0 Ah
not incl.

0 - 1.700
r/min⁻¹



Further details

Product

Cordless Auto-Feed-Screwdriver LA25-55F2-S

with extension

Article code: LA25-55F2-S

25 - 55 mm

Fein®
ASCS 6.3 Select

18V | 5.0 Ah
2x

0 - 1.700
r/min⁻¹

Extension
+ 520 mm



Further details



Cordless Auto-Feed-Screwdriver LA25-55F-NT-S

with extension, without batteries, without charger

Article code: LA25-55F-NT-S

25 - 55 mm

Fein®
ASCS 6.3 Select

18V | 5.0 Ah
not incl.

0 - 1.700
r/min⁻¹

Extension
+ 520 mm



Further details

Product

Auto-Feed-Screwdriver LE25-55F

Article code: LE25-55F

25 - 55 mm

Fein®
SCS 4.8-25

450 W

0 - 2.500
r/min⁻¹



Further details



Product

Auto-Feed-Screwdriver LE25-55F-S

with extension

Article code: LE25-55F-S

25 - 55 mm

Fein®
SCS 4.8-25

450 W

0 - 2.500
r/min⁻¹

Extension
+ 520 mm



Further details



Up to 80 mm screw length

Product

Cordless Auto-Feed-Screwdriver LA25-80F2



Article code: LA25-80F2

25 - 80 mm

Fein[®]
ASCS 6.3 Select

18V | 5.0 Ah
2x

0 - 1.700
r/min⁻¹



Further details

Cordless Auto-Feed-Screwdriver LA25-80F-NT

without batteries, without charger

Article code: LA25-80F-NT

25 - 80 mm

Fein[®]
ASCS 6.3 Select

18V | 5.0 Ah
not incl.

0 - 1.700
r/min⁻¹



Further details

Product

Cordless Auto-Feed-Screwdriver LA25-80F2-S

with extension



Article code: LA25-80F2-S

25 - 80 mm

Fein[®]
ASCS 6.3 Select

18V | 5.0 Ah
2x

0 - 1.700
r/min⁻¹

Extension
+ 520 mm



Further details

Cordless Auto-Feed-Screwdriver LA25-80F-NT-S

with extension, without batteries, without charger

Article code: LA25-80F-NT-S

25 - 80 mm

Fein[®]
ASCS 6.3 Select

18V | 5.0 Ah
not incl.

0 - 1.700
r/min⁻¹

Extension
+ 520 mm



Further details

Product

Auto-Feed-Screwdriver LE25-80F



Article code: LE25-80F

25 - 80 mm

Fein[®]
SCS 4.8-25

450 W

0 - 2.500
r/min⁻¹



Further details

Product

Auto-Feed-Screwdriver LE25-80F-S

with extension



Article code: LE25-80F-S

25 - 80 mm

Fein[®]
SCS 4.8-25

450 W

0 - 2.500
r/min⁻¹



Further details

Extension
+ 520 mm

**Attachment for collated
Screws with adapter**



Article code: LV25-55F

Further details



25 - 55 mm

Fein[®]
ASCS 6.3 Select

Fein[®]
SCS 4.8-25

**Attachment for collated
Screws with adapter**



Article code: LV25-80F

Further details



25 - 80 mm

Fein[®]
ASCS 6.3 Select

Fein[®]
SCS 4.8-25

Extension



Article code: V520F

Further details



Extension
+ 520 mm

Fein[®]
ASCS 6.3 Select

Fein[®]
SCS 4.8-25

Collated Screws – Coil System

Product

Drywall Screws with Fine Thread, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 25 mm	1201025-3925	PH2	2,500 pcs	225,000 pcs
3.9 × 30 mm	1201025-3930	PH2	2,500 pcs	225,000 pcs
3.9 × 35 mm	1201025-3935	PH2	2,500 pcs	225,000 pcs
3.9 × 45 mm	1201020-3945	PH2	2,000 pcs	180,000 pcs
3.9 × 55 mm	1201015-3955	PH2	1,500 pcs	135,000 pcs

CE

Product

Drywall Screws with Coarse Thread, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 25 mm	1202025-3925	PH2	2,500 pcs	225,000 pcs
3.9 × 30 mm	1202025-3930	PH2	2,500 pcs	225,000 pcs
3.9 × 35 mm	1202025-3935	PH2	2,500 pcs	225,000 pcs
3.9 × 41 mm	1202020-3941	PH2	2,000 pcs	180,000 pcs
3.9 × 45 mm	1202020-3945	PH2	2,000 pcs	180,000 pcs
3.9 × 55 mm	1202015-3955	PH2	1,500 pcs	135,000 pcs

CE

Product

Drywall Screws with Drill Point, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.5 × 25 mm	1203025-3525	PH2	2,500 pcs	225,000 pcs
3.5 × 35 mm	1203025-3535	PH2	2,500 pcs	225,000 pcs
3.5 × 45 mm	1203020-3545	PH2	2,000 pcs	180,000 pcs

CE

Product

Tough Board Screws with Hi-Lo-Thread, self-countersinking Nibs, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 25 mm	1204025-3925	PH2	2,500 pcs	225,000 pcs
3.9 × 30 mm	1204025-3930	PH2	2,500 pcs	225,000 pcs
3.9 × 35 mm	1204025-3935	PH2	2,500 pcs	225,000 pcs
3.9 × 45 mm	1204020-3945	PH2	2,000 pcs	180,000 pcs

CE

Collated Screws – System Coil

Product **adunox-SuperUni Wood- / Chipboard Screws with Part Thread,**
with approval (ETA), cut point, ribs, milling shank, zinc plated yellow (chrome-3)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 25 mm	1210325-4025AZ	TX20	2,500 pcs	225,000 pcs
4.0 × 30 mm	1210325-4030AZ	TX20	2,500 pcs	225,000 pcs
4.0 × 35 mm	1210325-4035AZ	TX20	2,500 pcs	225,000 pcs
4.0 × 40 mm	1210320-4040AZ	TX20	2,000 pcs	180,000 pcs
4.0 × 45 mm	1210320-4045AZ	TX20	2,000 pcs	180,000 pcs
4.0 × 50 mm	1210315-4050AZ	TX20	1,500 pcs	135,000 pcs
4.5 × 50 mm	1210311-4550AZ	TX25	1,125 pcs	101,250 pcs
5.0 × 50 mm	1210311-5050AZ	TX25	1,125 pcs	101,250 pcs
5.0 × 60 mm	1210311-5060AZ	TX25	1,125 pcs	101,250 pcs
5.0 × 70 mm	1210375-5070AZ	TX25	750 pcs	67,500 pcs
5.0 × 80 mm	1210375-5080AZ	TX25	750 pcs	67,500 pcs



Product **adunox-SuperUni Wood- / Chipboard Screws with Part Thread,**
with approval (ETA), cut point, ribs, milling shank, zinc plated (blue)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 25 mm	1210725-4025AZ	TX20	2,500 pcs	225,000 pcs
4.0 × 30 mm	1210725-4030AZ	TX20	2,500 pcs	225,000 pcs
4.0 × 35 mm	1210725-4035AZ	TX20	2,500 pcs	225,000 pcs
4.0 × 40 mm	1210720-4040AZ	TX20	2,000 pcs	180,000 pcs
4.0 × 45 mm	1210720-4045AZ	TX20	2,000 pcs	180,000 pcs
4.0 × 50 mm	1210715-4050AZ	TX20	1,500 pcs	135,000 pcs
4.5 × 50 mm	1210711-4550AZ	TX25	1,125 pcs	101,250 pcs
5.0 × 50 mm	1210711-5050AZ	TX25	1,125 pcs	101,250 pcs
5.0 × 60 mm	1210711-5060AZ	TX25	1,125 pcs	101,250 pcs
5.0 × 70 mm	1210775-5070AZ	TX25	750 pcs	67,500 pcs
5.0 × 80 mm	1210775-5080AZ	TX25	750 pcs	67,500 pcs



NEW – Coil Collated Screws

6 x 60 mm to 6 x 80 mm

LARGER COILS are also
available on request.
Contact us!

Product

adunox-SuperUni Wood- / Chipboard Screws with Part Thread,
cut point, ribs, milling shank, zinc plated (blue)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 25 mm	1210725-4025	TX20	2,500 pcs	225,000 pcs
4.0 × 30 mm	1210725-4030	TX20	2,500 pcs	225,000 pcs
4.0 × 35 mm	1210725-4035	TX20	2,500 pcs	225,000 pcs
4.0 × 40 mm	1210720-4040	TX20	2,000 pcs	180,000 pcs
4.0 × 45 mm	1210720-4045	TX20	2,000 pcs	180,000 pcs
4.0 × 50 mm	1210715-4050	TX20	1,500 pcs	135,000 pcs
4.5 × 50 mm	1210711-4550	TX20	1,125 pcs	101,250 pcs
4.5 × 55 mm	1210711-4555	TX20	1,125 pcs	101,250 pcs
5.0 × 50 mm	1210711-5050	TX25	1,125 pcs	101,250 pcs
5.0 × 60 mm	1210711-5060	TX25	1,125 pcs	101,250 pcs
5.0 × 70 mm	1210775-5070	TX25	750 pcs	67,500 pcs
5.0 × 80 mm	1210775-5080	TX25	750 pcs	67,500 pcs



Product

TIMTEC®-Universal Woodwork Screws with Part Thread,
milling shank (from 60mm screw length), zinc plated (blue), with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0 × 60 mm	1210711-5060Z	TX25	1,125 pcs	101,250 pcs
5.0 × 70 mm	1210775-5070Z	TX25	750 pcs	67,500 pcs
5.0 × 80 mm	1210775-5080Z	TX25	750 pcs	67,500 pcs



Product

HECO® Wood Panel Screws with Contraction Effect, zinc plated (blue),
with approval (ETA)




Size	Article code	Drive	Screws/Box	Screws/Pallet
4.5 × 50 mm	1214711-4550Z	TX20	1,125 pcs	101,250 pcs
4.5 × 60 mm	1214711-4560Z	TX20	1,125 pcs	101,250 pcs
4.5 × 70 mm	1214775-4570Z	TX20	750 pcs	67,500 pcs
4.5 × 80 mm	1214775-4580Z	TX20	750 pcs	67,500 pcs



Collated Screws – Coil System

Product

Short Thread Wood Screws with Part Thread,
with approval (ETA), ribs, milling shank, zinc plated (blue / chrome-6-free)



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0 × 60 mm Thread length at 60 mm: 28 mm	1366H-5060	TX25	1,125 pcs	101,250 pcs
5.0 × 70 mm Thread length at 70 mm: 33 mm	1366H-5070	TX25	750 pcs	67,500 pcs
5.0 × 80 mm Thread length at 80 mm: 38 mm	1366H-5080	TX25	750 pcs	67,500 pcs



Product

Universal Screws with Part Thread, ribs, cut point, stainless steel A2,
milling shank (from 70 mm screw length), with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 25 mm	1213425-4025Z	TX20	2,500 pcs	225,000 pcs
4.0 × 30 mm	1213425-4030Z	TX20	2,500 pcs	225,000 pcs
4.0 × 35 mm	1213425-4035Z	TX20	2,500 pcs	225,000 pcs
4.0 × 40 mm	1213420-4040Z	TX20	2,000 pcs	180,000 pcs
4.0 × 45 mm	1213420-4045Z	TX20	2,000 pcs	180,000 pcs
4.0 × 50 mm	1213415-4050Z	TX20	1,500 pcs	135,000 pcs
4.5 × 50 mm	1213411-4550Z	TX20	1,125 pcs	101,250 pcs
5.0 × 50 mm	1213411-5050Z	TX25	1,125 pcs	101,250 pcs
5.0 × 60 mm	1213411-5060Z	TX25	1,125 pcs	101,250 pcs
5.0 × 70 mm	1213475-5070Z	TX25	750 pcs	67,500 pcs
5.0 × 80 mm	1213475-5080Z	TX25	750 pcs	67,500 pcs



Product

Universal Screws with Part Thread, ribs, cut point, stainless steel A4,
milling shank (from 70 mm screw length), with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0 × 50 mm	1213811-5050Z	TX25	1,125 pcs	101,250 pcs
5.0 × 60 mm	1213811-5060Z	TX25	1,125 pcs	101,250 pcs
5.0 × 70 mm	1213875-5070Z	TX25	750 pcs	67,500 pcs
5.0 × 80 mm	1213875-5080Z	TX25	750 pcs	67,500 pcs



Product

Self-Drilling Screws with Part Thread, ribs, stainless steel A2, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0×50 mm	1211411-5050	TX25	1,125 pcs	101,250 pcs
5.0×60 mm	1211411-5060	TX25	1,125 pcs	101,250 pcs
5.0×70 mm	1211475-5070	TX25	750 pcs	67,500 pcs
5.0×80 mm	1211475-5080	TX25	750 pcs	67,500 pcs



Product

Terrace Screws with Part Thread, milling shank, cut point, C1/AISI 410 „stainless steel“, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0×40 mm	1212615-5040	TX25	1,500 pcs	on request
5.0×50 mm	1212611-5050	TX25	1,125 pcs	on request
5.0×60 mm	1212611-5060	TX25	1,125 pcs	on request
5.0×70 mm	1212675-5070	TX25	750 pcs	on request
5.0×80 mm	1212675-5080	TX25	750 pcs	on request



Auto-Feed-Screwdriver – Coil System

Product

Cordless Auto-Feed-Screwdriver CA40-80D2



Article code: CA40-80D2

40 - 80 mm	DeWALT® DCD991	18V 5.0 Ah 2x	0 - 2.000 r/min ⁻¹
------------	-------------------	--------------------	----------------------------------



Further details

Cordless Auto-Feed-Screwdriver CA40-80D-NT
without batteries, without charger

Article code: CA40-80D-NT

40 - 80 mm	DeWALT® DCD991	18V 5.0 Ah not incl.	0 - 2.000 r/min ⁻¹
------------	-------------------	---------------------------	----------------------------------



Further details

Product

Cordless Auto-Feed-Screwdriver CA40-80D2-S
with extension



Article code: CA40-80D2-S

40 - 80 mm	DeWALT® DCD991	18V 5.0 Ah 2x	0 - 2.000 r/min ⁻¹	Extension +520mm
------------	-------------------	--------------------	----------------------------------	---------------------



Further details

Cordless Auto-Feed-Screwdriver CA40-80D-NT-S
with extension, without batteries, without charger

Article code: CA40-80D-NT-S

40 - 80 mm	DeWALT® DCD991	18V 5.0 Ah not incl.	0 - 2.000 r/min ⁻¹	Extension +520mm
------------	-------------------	---------------------------	----------------------------------	---------------------



Further details

Auto-Feed-Screwdriver – Coil System

Product



Cordless Auto-Feed-Screwdriver CA25-50M2

Article code: CA25-50M2

25 - 50 mm

Makita[®]
DFS452

18V | 5.0 Ah
2x

0 - 4.000
r/min⁻¹



Further details

Cordless Auto-Feed-Screwdriver CA25-50M-NT

without batteries, without charger

Article code: CA25-50M-NT

25 - 50 mm

Makita[®]
DFS452

18V | 5.0 Ah
not incl.

0 - 4.000
r/min⁻¹



Further details

Product



Cordless Auto-Feed-Screwdriver CA25-50M2-S

with extension

Article code: CA25-50M2-S

25 - 50 mm

Makita[®]
DFS452

18V | 5.0 Ah
2x

0 - 4.000
r/min⁻¹

Extension
+520mm



Further details

Cordless Auto-Feed-Screwdriver CA25-50M-NT-S

with extension, without batteries, without charger

Article code: CA25-50M-NT-S

25 - 50 mm

Makita[®]
DFS452

18V | 5.0 Ah
not incl.

0 - 4.000
r/min⁻¹

Extension
+520mm



Further details

Collated Screws – System Coil U-Tape

Product

Drywall Screws with Fine Thread, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 25 mm	1281040-3925	PH2	4,000 pcs	on request
3.9 × 35 mm	1281040-3935	PH2	4,000 pcs	on request



Product

Drywall Screws with Coarse Thread, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 25 mm	1282040-3925	PH2	4,000 pcs	on request
3.9 × 30 mm	1282040-3930	PH2	4,000 pcs	on request
3.9 × 41 mm	1282040-3941	PH2	4,000 pcs	on request




adunox[®]

ONE

we collate
them all.





A-A
2:1

adunox[®] ONE

The Function




The newly developed adunox-ONE collated system allows the serial processing of various screw types.

The patented injected strip is unique in that the feed and the mounting Screws are separated. This way, the screw holder can be adapted to **nearly all kinds of** screw geometries. Another major advantage is the tilted inclination of the Screws; because of this arrangement, **the screw tips are visible** and the Screws can, for example, be easily put into pre-drilled holes. After the screw has been fitted, the injected strip is removed via the joints.

Main Uses

- Wood construction/terrace construction/facade engineering
- Interior improvements
- Roofs and walls
- Truck bodywork
- Furniture industry

video clip: www.adunox.com



Anbindung zulässig


C-C
2:1

Verbindung zwischen oberen und unteren Schraubenhalter

adunox-ONE-XL

Product

adunox-SuperUni Wood Screws with Part Thread, cut point, ribs, milling shank, zinc plated (yellow), with approval (ETA), collated system adunox-ONE-XL



25 Screws / Strip



Size	Article code	Drive	Screws/Box	Screws/Pallet
6.0×80 mm	1717TGVTX-60080Z	TX30	1,200 pcs	30,000 pcs
6.0×90 mm	1717TGVTX-60090Z	TX30	1,200 pcs	30,000 pcs
6.0×100 mm	1717TGVTX-60100Z	TX30	1,200 pcs	30,000 pcs
6.0×120 mm	1717TGVTX-60120Z	TX30	800 pcs	20,000 pcs
6.0×140 mm	1717TGVTX-60140Z	TX30	800 pcs	20,000 pcs
6.0×160 mm	1717TGVTX-60160Z	TX30	800 pcs	20,000 pcs

Product

adunox-SuperUni Wood Screws with Part Thread, cut point, ribs, milling shank, zinc plated (blue), with approval (ETA), collated system adunox-ONE-XL



25 Screws / Strip



Size	Article code	Drive	Screws/Box	Screws/Pallet
6.0×80 mm	1717TBVTX-60080Z	TX30	1,200 pcs	30,000 pcs
6.0×90 mm	1717TBVTX-60090Z	TX30	1,200 pcs	30,000 pcs
6.0×100 mm	1717TBVTX-60100Z	TX30	1,200 pcs	30,000 pcs
6.0×120 mm	1717TBVTX-60120Z	TX30	800 pcs	20,000 pcs
6.0×140 mm	1717TBVTX-60140Z	TX30	800 pcs	20,000 pcs
6.0×160 mm	1717TBVTX-60160Z	TX30	800 pcs	20,000 pcs





Images: Cordless Auto-Feed-Screwdriver OXA80-160D2
Main area of application: Glued laminated timber

Cordless Auto-Feed-Screwdriver OXA80-100D2-P
adunox-ONE-XL

Article code: OXA80-100D2-P

80 - 100 mm	DeWALT® DCD991
18V 5.0 Ah 2x	0 - 2.000 r/min ⁻¹



Further details

Cordless Auto-Feed-Screwdriver OXA80-160D2-P
adunox-ONE-XL

Article code: OXA80-160D2-P

80 - 160 mm	DeWALT® DCD991
18V 5.0 Ah 2x	0 - 2.000 r/min ⁻¹



Further details

Cordless Auto-Feed-Screwdriver OXA80-100D2-E
adunox-ONE-XL, without case

Article code: OXA80-100D2-E

80 - 100 mm	DeWALT® DCD991
18V 5.0 Ah 2x	0 - 2.000 r/min ⁻¹



Further details

Cordless Auto-Feed-Screwdriver OXA80-160D2-E
adunox-ONE-XL, without case

Article code: OXA80-160D2-E

80 - 160 mm	DeWALT® DCD991
18V 5.0 Ah 2x	0 - 2.000 r/min ⁻¹



Further details

adunox-ONE-S

Product

adunox Slate Screws, stainless steel A2, TX20, collated system adunox-ONE-S



20 Screws/Strip

Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0×32 mm	1811415-4032	TX20	1,500 pcs	on request



Product

adunox Slate Screws, stainless steel A2, colored "slate-gray", TX20, collated system adunox-ONE-S



20 Screws/Strip

Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0×32 mm	1811915-4032	TX20	1,500 pcs	on request



Product

Window Screws with Part Thread, zinc plated (blue), collated system adunox-ONE-S



20 Screws/Strip

Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0×30 mm	1812715-4030	TX20	1,500 pcs	on request

Cordless Auto-Feed-Screwdriver OSA30-35B2 adunox-ONE-S

Article code: OSA30-35B2



Further details

30 - 35 mm

BOSCH[®]
GSR 10,8 V-EC TE Professional

10,8V | 2,5 Ah
2x

0 - 3.000
r/min⁻¹



System adunox-HEX

adunox[®] HEX

ONE SYSTEM, LOTS OF OPTIONS

The new collated system adunox-HEX enables the serial processing of Screws with a large head diameter as well as Screws with washers.

These include Screws with hexagon, Philips or torx drive.



Imprint protection

Length adjustment



Depth control

Belt guide

ADVANTAGES:

- High efficiency
- Time savings
- High precision
- No rework necessary
- Health prevention

FIELD OF APPLICATION:

- Structural-facings sector
- Longitudinal screw connection (roof)
- Sheet metal screw connection
- Truck-superstructures
- Timber construction
- Steel-steel-connections

Auto-Feed-Screwdriver – System adunox-HEX

Product



Cordless Auto-Feed-Screwdriver HLA22-38M2 adunox-HEX

Article code: HLA22-38M2

22 - 38 mm

Makita®
DFS250

18V | 5.0 Ah
2x

0 - 2.500
r/min⁻¹



Further details

Cordless Auto-Feed-Screwdriver HLA22-38M-NT adunox-HEX, without batteries, without charger

Article code: HLA22-38M-NT

22 - 38 mm

Makita®
DFS250

18V | 5.0 Ah
not incl.

0 - 2.500
r/min⁻¹



Further details

Product



Cordless Auto-Feed-Screwdriver HLA22-38M2-S adunox-HEX, with extension

Article code: HLA22-38M2-S

22 - 38 mm

Makita®
DFS250

18V | 5.0 Ah
2x

0 - 2.500
r/min⁻¹

Extension
+ 520 mm



Further details

Cordless Auto-Feed-Screwdriver HLA22-38M-NT-S adunox-HEX, with extension, without batteries, without charger

Article code: HLA22-38M-NT-S

22 - 38 mm

Makita®
DFS250

18V | 5.0 Ah
not incl.

0 - 2.500
r/min⁻¹

Extension
+ 520 mm



Further details

Product



Cordless Auto-Feed-Screwdriver HLA22-38F2 adunox-HEX

Article code: HLA22-38F2

22 - 38 mm

Fein®
ASCS 6.3 Select

18V | 5.0 Ah
2x

0 - 1.700
r/min⁻¹



Further details

Cordless Auto-Feed-Screwdriver HLA22-38F-NT adunox-HEX, without batteries, without charger

Article code: HLA22-38F-NT

22 - 38 mm

Fein®
ASCS 6.3 Select

18V | 5.0 Ah
not incl.

0 - 1.700
r/min⁻¹



Further details

Product



Cordless Auto-Feed-Screwdriver HLA22-38F2-S adunox-HEX, with extension

Article code: HLA22-38F2-S

22 - 38 mm

Fein®
ASCS 6.3 Select

18V | 5.0 Ah
2x

0 - 1.700
r/min⁻¹

Extension
+ 520 mm



Further details

Cordless Auto-Feed-Screwdriver HLA22-38F-NT-S adunox-HEX, with extension, without batteries, without charger

Article code: HLA22-38F-NT-S

22 - 38 mm

Fein®
ASCS 6.3 Select

18V | 5.0 Ah
not incl.

0 - 1.700
r/min⁻¹

Extension
+ 520 mm



Further details

Collated Screws – System adunox-HEX

Product

Farmer Screws, zinc plated (blue), collated system adunox-HEX



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.8 × 20 mm	1868H-48020	SW8	504 pcs	on request
4.8 × 28 mm	1868H-48028	SW8	504 pcs	on request
4.8 × 35 mm	1868H-48035	SW8	392 pcs	on request



Product

Farmer Screws, C1/AISI 410 "stainless steel", collated system adunox-HEX



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.8 × 20 mm	1868A-48020	SW8	504 pcs	on request
4.8 × 35 mm	1868A-48035	SW8	392 pcs	on request



We can also offer you these collated Screws with your required color. (RAL) Feel free to contact us personally so we can send you individual offer.



adunox[®] **timber screw robotic** **tsr**

Automatically screwing on multifunction bridges

In the place where coil screw systems and screw loaders to vibrators and tubes reach their limits, the newly developed and protected system adunox-tsr is found.



FIELD OF APPLICATION:


- Prefabricated house production
- Wood working industry
- Planking of stud frames with Screws

ADVANTAGES:

- Fully automatic and pinpoint screwing
- High screwing speed
- 2 boxes simultaneously insertable
- Set up of screw types and length in seconds
- Simple operation with SIEMENS Simatic Touch Panel

Interested in a presentation?

We will also demonstrate the adunox-tsr to you directly in your company. **Make an appointment now!**



adunox[®]-tsr

The Brilliant Magazine Box

- Fast magazine exchange
- 72 Screws per box
- Large spectrum of various screw lengths
- For almost all head geometries





Countersunk Head



Wheel Head




Hexagon Head



adunox[®] LOCHI

FOR REMOVABLE CONNECTIONS



Product



Cordless Auto-Feed-Screwdriver LOA40-60M2 adunox-LOCHI for angle-bracket Screws

Article code: LOA40-60M2

40 - 60 mm

Makita[®]
DFS452

18V | 5.0 Ah
2x

0 - 4.000
r/min⁻¹





Further details

Angle-Bracket Screws

Product

Angle-Bracket Screws, tape-collated, 30°, blue zinc plated, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0 × 40 mm	1976H-50040	TX20	1,000 pcs	on request
5.0 × 50 mm	1976H-50050	TX20	1,000 pcs	on request
5.0 × 60 mm	1976H-50060	TX20	1,000 pcs	on request

Product


Angle-Bracket Screws, loose in small boxes, blue zinc plated, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0 × 40 mm	1176H-50040	TX20	200 pcs	on request
5.0 × 50 mm	1176H-50050	TX20	200 pcs	on request
5.0 × 60 mm	1176H-50060	TX20	200 pcs	on request

Product

Angle-Bracket Screws, paper collated, 30°, surface (C4)



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0 × 40 mm	1976C4-50040	TX20	1,000 pcs	on request
5.0 × 50 mm	1976C4-50050	TX20	1,000 pcs	on request
5.0 × 60 mm	1976C4-50060	TX20	1,000 pcs	on request

Product

Angle-Bracket Screws, loose in small boxes, surface (C4)




Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0 × 40 mm	1176C4-50040	TX20	200 pcs	on request
5.0 × 50 mm	1176C4-50050	TX20	200 pcs	on request
5.0 × 60 mm	1176C4-50060	TX20	200 pcs	on request

Anchor Nails

Product


Anchor Nails, plastic collated, 25° and 34°, blue zinc plated, ring, pan head



Anchor Nails
EN 14592 : 2008 / DIN 1052



Size	Article code	Screws/Box	Screws/Pallet
4.0×40 mm	11277H-40040	2,000 pcs	120,000 pcs
4.0×50 mm	11277H-40050	2,000 pcs	120,000 pcs
4.0×60 mm	11277H-40060	2,000 pcs	120,000 pcs




Anchor Nails
EN 14592 : 2008 / DIN 1052

Size	Article code	Screws/Box	Screws/Pallet
4.0×40 mm	11377H-40040	2,000 pcs	120,000 pcs
4.0×50 mm	11377H-40050	2,000 pcs	120,000 pcs
4.0×60 mm	11377H-40060	2,000 pcs	120,000 pcs

Product


Anchor Nails, paper collated, 25° and 34°, blue zinc plated, ring, pan head



Anchor Nails
EN 14592 : 2008 / DIN 1052



Size	Article code	Screws/Box	Screws/Pallet
4.0×40 mm	1977H-40040	2,000 pcs	120,000 pcs
4.0×50 mm	1977H-40050	2,000 pcs	120,000 pcs
4.0×60 mm	1977H-40060	2,000 pcs	120,000 pcs



Anchor Nails
EN 14592 : 2008 / DIN 1052

Size	Article code	Screws/Box	Screws/Pallet
4.0×40 mm	11177H-40040	2,000 pcs	120,000 pcs
4.0×50 mm	11177H-40050	2,000 pcs	120,000 pcs
4.0×60 mm	11177H-40060	2,000 pcs	120,000 pcs

Product

Anchor Nails, loose in small boxes, blue zinc plated, ring, pan head



Anchor Nails
EN 14592 : 2008 / DIN 1052

Size	Article code	Screws/Box	Screws/Pallet
4.0×40 mm	1177H-40040	200 pcs	on request
4.0×50 mm	1177H-40050	200 pcs	on request
4.0×60 mm	1177H-40060	200 pcs	on request

Bit-Center for Auto-Feed-Screwdriver

Product

PH2



110 mm	116 mm	117 mm	120 mm	124 mm	127 mm	127 mm	130 mm
Ø 6 mm	Ø 5 mm	Ø 5 mm	Ø 6 mm	Ø 6 mm	Ø 5 mm	Ø 6 mm	Ø 6 mm
Suitable for: Bühnen® 20-45 Makita® 6830 6831 Helfer® MSV-6	Suitable for: HILTI® SMD-57	Suitable for: Makita® BFR440RFE	Suitable for: adunox® LE 25-55M/F adunox® ASL 25-55M ESL 25-55 M LA 25-55M/F HELFAST-55	Suitable for:	Suitable for: Makita® 6833 6836 Makita® 6836 Makita® 6835DWD	Suitable for: Fein® SCT 5-40M Fein® ASCT 14M 18M Makita® 6832	Suitable for: SENCO® DS200 SENCO® DS202 SENCO® DS205
4-B6110PH2	4-B5116PH2	4-B5117PH2	4-B6120PH2	4-B6124PH2	4-B5127PH2	4-B6127PH2	4-B6130PH2
140 mm	141 mm	146 mm	147 mm	148 mm	148 mm	152 mm	153 mm
Ø 6 mm	Ø 5 mm	Ø 5 mm	Ø 6 mm	Ø 4 mm	Ø 5 mm	Ø 5 mm	Ø 4.5 mm
Suitable for: HELFAST-75	Suitable for: MAKITA® 6834	Suitable for: BOSCH® MA55	Suitable for:	Suitable for: MAX® PJCD551(CE)	Suitable for: Würth® MSV 55-TS Milwaukee® M18FSGC/CA55	Suitable for: FESTOOL® DURADRIIVE PROTOOL® DURADRIIVE	Suitable for: DEWALT® DCF6201
4-B6140PH2	4-B5141PH2	4-B5146PH2	4-B6147PH2	4-B4148PH2	4-B5148PH2	4-B5152PH2	4-B45153PH2
154 mm	157 mm	160 mm	166 mm	174 mm	176 mm	177 mm	195 mm
Ø 6 mm	Ø 5 mm	Ø 6 mm	Ø 5,6 mm	Ø 6 mm	Ø 6 mm	Ø 5 mm	Ø 6 mm
Suitable for: adunox® EVA 25-55 adunox® ANNA 25-55	Suitable for: MAKITA® 6842 6843 MAKITA® BRF540 550	Suitable for: SENCO® DS275-18V SENCO® DS300-AC	Suitable for: HILTI® SMI-55	Suitable for: SENCO® DS5550, SENCO® DS5525	Suitable for: adunox® ESL / ASL 25-55 FLEX® M-DW55 PREBENA® BA-MGS55	Suitable for: adunox® LA25-80M/F adunox® LE25-80M/F MAKITA® 6844 MAKITA® BFR750 DFR750 HELFAST-80 NG	Suitable for: SENCO® DS7525AC / DC
4-B6154PH2	4-B5157PH2	4-B6160PH2	4-B56166PH2	4-B6174PH2	4-B6176PH2	4-B5177PH2	4-B6195PH2

Product

PZ2



110 mm	116 mm	117 mm	120 mm	124 mm	127 mm	127 mm	130 mm
Ø 6 mm	Ø 5 mm	Ø 5 mm	Ø 6 mm	Ø 6 mm	Ø 5 mm	Ø 6 mm	Ø 6 mm
Suitable for: Bühnen® 20-45 Makita® 6830 6831 Helfer® MSV-6	Suitable for: HILTI® SMD-57	Suitable for: Makita® BFR440RFE	Suitable for: adunox® LE 25-55M/F adunox® ASL 25-55M ESL 25-55 M LA 25-55M/F HELFAST-55	Suitable for:	Suitable for: Makita® 6833 6836 Makita® 6836 Makita® 6835DWD	Suitable for: Fein® SCT 5-40M Fein® ASCT 14M 18M Makita® 6832	Suitable for: SENCO® DS200 SENCO® DS202 SENCO® DS205
4-B6110PZ2	4-B5116PZ2	4-B5117PZ2	4-B6120PZ2	4-B6124PZ2	4-B5127PZ2	4-B6127PZ2	4-B6130PZ2
140 mm	141 mm	146 mm	147 mm	148 mm	148 mm	152 mm	154 mm
Ø 6 mm	Ø 5 mm	Ø 5 mm	Ø 6 mm	Ø 4 mm	Ø 5 mm	Ø 5 mm	Ø 6 mm
Suitable for: HELFAST-75	Suitable for: MAKITA® 6834	Suitable for: BOSCH® MA55	Suitable for:	Suitable for: MAX® PJCD551(CE)	Suitable for: Würth® MSV 55-TS Milwaukee® M18FSGC/CA55	Suitable for: FESTOOL® DURADRIIVE PROTOOL® DURADRIIVE	Suitable for: adunox® EVA 25-55 adunox® ANNA 25-55
4-B6140PZ2	4-B5141PZ2	4-B5146PZ2	4-B6147PZ2	4-B4148PZ2	4-B5148PZ2	4-B5152PZ2	4-B6154PZ2
157 mm	160 mm	176 mm	177 mm	195 mm			
Ø 5 mm	Ø 6 mm	Ø 6 mm	Ø 5 mm	Ø 6 mm			
Suitable for: MAKITA® 6842 6843 MAKITA® BRF540 550	Suitable for: SENCO® DS275-18V SENCO® DS300-AC	Suitable for: adunox® ESL / ASL 25-55 FLEX® M-DW55 PREBENA® BA-MGS55	Suitable for: adunox® LA25-80M/F adunox® LE25-80M/F MAKITA® 6844 MAKITA® BFR750 DFR750 HELFAST-80 NG	Suitable for: SENCO® DS7525AC / DC			
4-B5157PZ2	4-B6160PZ2	4-B6176PZ2	4-B5177PZ2	4-B6195PZ2			

Bit-Center for Auto-Feed-Screwdriver

Product

TX20



110 mm	116 mm	117 mm	120 mm	124 mm	127 mm	127 mm	130 mm
Ø 6 mm	Ø 5 mm	Ø 5 mm	Ø 6 mm	Ø 6 mm	Ø 5 mm	Ø 6 mm	Ø 6 mm
Suitable for: Bühnen® 20-45 Makita® 6830 6831 Helfer® MSV-6	Suitable for: HILTI® SMD-57	Suitable for: Makita® BFR440RFE	Suitable for: adunox® LE 25-55M/F adunox® ASL 25-55M ESL 25-55 M LA 25-55M/F HELFAST-55	Suitable for:	Suitable for: Makita® 6833 6836 Makita® 6836 Makita® 6835DWD	Suitable for: Fein® SCT 5-40M Fein® ASCT 14M 18M Makita® 6832	Suitable for: SENCO® DS200 SENCO® DS202 SENCO® DS205
4-B6110TX20	4-B5116TX20	4-B5117TX20	4-B6120TX20	4-B6124TX20	4-B5127TX20	4-B6127TX20	4-B6130TX20
140 mm	141 mm	146 mm	147 mm	148 mm	148 mm	152 mm	153 mm
Ø 6 mm	Ø 5 mm	Ø 5 mm	Ø 6 mm	Ø 4 mm	Ø 5 mm	Ø 5 mm	Ø 4.5 mm
Suitable for: HELFAST-75	Suitable for: MAKITA® 6834	Suitable for: BOSCH® MA55	Suitable for:	Suitable for: MAX® PJCD551(CE)	Suitable for: Würth® MSV 55-TS Milwaukee® M18FSGC/CA55	Suitable for: FESTOOL® DURADRIIVE PROTOOL® DURADRIIVE	Suitable for: DEWALT® DCF6201
4-B6140TX20	4-B5141TX20	4-B5146TX20	4-B6147TX20	4-B4148TX20	4-B5148TX20	4-B5152TX20	4-B45153TX20
154 mm	157 mm	160 mm	174 mm	176 mm	177 mm	195 mm	203 mm
Ø 6 mm	Ø 5 mm	Ø 6 mm	Ø 6 mm	Ø 6 mm	Ø 5 mm	Ø 6 mm	Ø 6 mm
Suitable for: adunox® EVA 25-55 adunox® ANNA 25-55	Suitable for: MAKITA® 6842 6843 MAKITA® BRF540 550	Suitable for: SENCO® DS275-18V SENCO® DS300-AC	Suitable for: SENCO® DS5550, SENCO® DS5525	Suitable for: adunox® ESL / ASL 25-55 FLEX® M-DW55 PREBENA® 8A-MGS55	Suitable for: adunox® LA25-80M/F adunox® LE25-80M/F MAKITA® 6844 MAKITA® BFR750 DFR750 HELFAST-80 NG	Suitable for: SENCO® DS7525AC / DC	Suitable for: SENCO® DS50
4-B6154TX20	4-B5157TX20	4-B6160TX20	4-B6174TX20	4-B6176TX20	4-B5177TX20	4-B6195TX20	4-B6203TX20

Product

TX25



110 mm	116 mm	120 mm	127 mm	127 mm	130 mm	140 mm	146 mm
Ø 6 mm	Ø 5 mm	Ø 6 mm	Ø 5 mm	Ø 6 mm	Ø 6 mm	Ø 6 mm	Ø 5 mm
Suitable for: Bühnen® 20-45 Makita® 6830 6831 Helfer® MSV-6	Suitable for: HILTI® SMD-57	Suitable for: adunox® LE 25-55M/F adunox® ASL 25-55M ESL 25-55 M LA 25-55M/F HELFAST-55	Suitable for: Makita® 6833 6836 Makita® 6836 Makita® 6835DWD	Suitable for: Fein® SCT 5-40M Fein® ASCT 14M 18M Makita® 6832	Suitable for: SENCO® DS200 SENCO® DS202 SENCO® DS205	Suitable for: HELFAST-75	Suitable for: BOSCH® MA55
4-B6110TX25	4-B5116TX25	4-B6120TX25	4-B5127TX25	4-B6127TX25	4-B6130TX25	4-B6140TX25	4-B5146TX25
152 mm	157 mm	160 mm	174 mm	177 mm	195 mm	203 mm	
Ø 5 mm	Ø 5 mm	Ø 6 mm	Ø 6 mm	Ø 5 mm	Ø 6 mm	Ø 6 mm	
Suitable for: FESTOOL® DURADRIIVE PROTOOL® DURADRIIVE	Suitable for: MAKITA® 6842 6843 MAKITA® BRF540 550	Suitable for: SENCO® DS275-18V SENCO® DS300-AC	Suitable for: SENCO® DS5550, SENCO® DS5525	Suitable for: adunox® LA25-80M/F adunox® LE25-80M/F Makita® 6844 Makita® BFR750 DFR750 HELFAST-80NG	Suitable for: SENCO® DS7525AC / DC	Suitable for: SENCO® DS50	
4-B5152TX25	4-B5157TX25	4-B6160TX25	4-B6174TX25	4-B5177TX25	4-B6195TX25	4-B6203TX25	

Product

Bits for adunox-ONE-XL

TX30



Bit for adunox-ONE-XL-100

Article code: 4-B6225TX30

Bit for adunox-ONE-XL-160

Article code: 4-B6300TX30

Product

SQ2



110 mm	116 mm	120 mm	127 mm	127 mm	130 mm	140 mm	141 mm
Ø 6 mm	Ø 5 mm	Ø 6 mm	Ø 5 mm	Ø 6 mm	Ø 6 mm	Ø 6 mm	Ø 5 mm
Suitable for: Bühnen® 20-45 Makita® 6830 6831 Helfer® MSV-6	Suitable for: HILTI® SMD-57	Suitable for: adunox® LE 25-55M/F adunox® ASL 25-55M ESL 25-55 M LA 25-55M/F HELFAST-55	Suitable for: Makita® 6833 6836 Makita® 6836 Makita® 6835DWD	Suitable for: Fein® SCT 5-40M Fein® ASCT 14M 18M Makita® 6832	Suitable for: SENCO® DS200 SENCO® DS202 SENCO® DS205	Suitable for: HELFAST-75	Suitable for: MAKITA® 6834
4-B6110SQ2	4-B5116SQ2	4-B6120SQ2	4-B5127SQ2	4-B6127SQ2	4-B6130SQ2	4-B6140SQ2	4-B5141SQ2
146 mm	152 mm	153 mm	157 mm	160 mm	177 mm		
Ø 5 mm	Ø 5 mm	Ø 4.5 mm	Ø 5 mm	Ø 6 mm	Ø 5 mm		
Suitable for: BOSCH® MA55	Suitable for: FESTOOL® DURADRIVE PROTOOL® DURADRIVE	Suitable for: DEWALT® DCF6201	Suitable for: MAKITA® 6842 6843 MAKITA® BRF540 550	Suitable for: SENCO® DS275-18V SENCO® DS300-AC	Suitable for: adunox® LA25-80M/F adunox® LE25-80M/F MAKITA® 6844 MAKITA® BFR750 DFR750 HELFAST-80 NG		
4-B5146SQ2	4-B5152SQ2	4-B45153SQ2	4-B5157SQ2	4-B6160SQ2	4-B5177SQ2		

For an easy bit search, just scan the QR code.



Bit-Center for adunox®-UP and Coil Screwdriver

Product Bits for adunox®-UP

Suitable for adunox®:
UPA5/6M2 | UPA5/6F2

Article code: 4-BUPTX20



Article code: 4-BUPTX25



Article code: 4-BUPTX30



Product Bits for Coil Screwdriver



44.5 mm

Ø 6 mm | G: M5

Suitable for:
WÜRTH® ASSYmat50, REICH® 3352 | 3362
4-BM5PH2



45 mm

Ø 8 mm | G: M6

Suitable for:
WÜRTH® ASSYmat80, REICH® 3338 | 3380
4-BM6PH2



45 mm

Ø 8 mm | G: M6

Suitable for:
WÜRTH® ASSYmat80, REICH® 3338, REICH® 3380
4-BM6PH3



45 mm

Ø 8 mm | G: M5

Suitable for:
WÜRTH® ASSYmat50, REICH® 3352 | 3362
4-BM5PZ2



45 mm

Ø 8 mm | G: M6

Suitable for:
WÜRTH® ASSYmat80, REICH® 3338 | 3380
4-BM6PZ2



45 mm

Ø 8 mm | G: M6

Suitable for:
WÜRTH® ASSYmat80, REICH® 3338, REICH® 3380
4-BM6PZ3



44.5 mm

Ø 6 mm | G: M5

Suitable for:
WÜRTH® ASSYmat50, REICH® 3352, REICH® 3362
4-BM5TX15



44.5 mm

Ø 6 mm | G: M5

Suitable for:
WÜRTH® ASSYmat50, REICH® 3352 | 3362
4-BM5TX20



45 mm

Ø 8 mm | G: M6

Suitable for:
WÜRTH® ASSYmat80, REICH® 3338 | 3380
4-BM6TX20



44.5 mm

Ø 6 mm | G: M5

Suitable for:
WÜRTH® ASSYmat50, REICH® 3352 | 3362
4-BM5TX25



45 mm

Ø 8 mm | G: M6

Suitable for:
WÜRTH® ASSYmat80, REICH® 3338 | 3380
4-BM6TX25



45 mm

Ø 8 mm | G: M6

Suitable for:
WÜRTH® ASSYmat80, REICH® 3338, REICH® 3380
4-BM6TX30



adunox® HEX ball

THE SCREWING DEVICE FOR
LOOSE HEXAGON SCREWS

With the screw-in device adunox-HEX ball it is possible to drive farmer Screws with one hand.
The fixing pressure is adjustable through the depth control.

Field of Application:

- Fixing of trapezoidal profiles
- Fixing of metal sheets to metal sheets
- Fixing of metal sheets to wood



Product



Cordless Hex Screwdriver HBA8F2 adunox-HEX ball

Article code: HBA8F2

SW 8 mm

from 50 mm

Fein®
ASCS 6.3 Select

18V | 5.0 Ah
2x

0 - 1.700
r/min⁻¹



Further details

Product



Attachment adunox-HEX ball with adapter

Article code: HBV8F

SW 8 mm

Fein®
ASCS 6.3 Select



Further details

Screw-in Devices

Product



Depth Control

Article code

1932030-00

Beschreibung

As soon as the screw has reached the set countersink depth, the Setzmaster disengages the bit.

Product



Depth setter SD-2


Article code

4-H10013

Beschreibung

As soon as the screw has reached the countersinking depth of ~0.8mm, the SD-2 disengages the bit.

Product



Depth setter TK8

Article code

4-H10010

Beschreibung

For the correct contact pressure of washers.

Bit-Holder

Product



Bit-Holder

Article code

1931030-60

Product



Bit-Holder

Article code

4-H10011

Product



Bit-Holder

Article code

4-H10012

Product



Spring-Holder

Article code

4-HEXFH8

Beschreibung

for SW8 mm hexagon Screws / suitable for stainless Screws



adunox[®] up


UP - MAKES YOU HAPPY



Screwing Device

for Floor and Ceiling Screw Connections

With the adunox-UP the Screws are inserted using a 1-click system and therefore do not have to be fixed manually by the craftsman. The adunox-UP processes Screws with a diameter of 5 to 6 mm and from length of 50 mm.



Total Weight of the adunox-UP Attachment: 1.5 kg

ADVANTAGES:

- Health prevention
- Processing convenience
- Time saving – quick inserting of Screws
- Exact screw depth adjustment
- Easy to use
- Pinpoint screwing

FIELD OF APPLICATION:

- Packaging industry
- Woodworking
- Decking
- Glued laminated timber



Cordless Screwdriver – System adunox-UP

Cordless screwdriver UPA5/6M2 adunox-UP

Article code: UPA5/6M2

ø 5 - 6 mm	from 50 mm	Makita [®] DFS250
18 V 5.0 Ah 2x	0 - 2.500 r/min ⁻¹	



Further details

Cordless screwdriver UPA5/6M-NT adunox-UP, without batteries, without charger

Article code: UPA5/6M-NT

ø 5 - 6 mm	from 50 mm	Makita [®] DFS250
18 V 5.0 Ah not incl.	0 - 2.500 r/min ⁻¹	



Further details



Cordless Screwdriver UPA5/6F2 adunox-UP

Article code: UPA5/6F2

ø 5 - 6 mm	from 50 mm	Fein [®] ASCS 6.3 Select
18 V 5.0 Ah 2x	0 - 1.700 r/min ⁻¹	



Further details

Cordless Screwdriver UPA5/6F-NT adunox-UP, without batteries, without charger

Article code: UPA5/6F-NT

ø 5 - 6 mm	from 50 mm	Fein [®] ASCS 6.3 Select
18 V 5.0 Ah not incl.	0 - 1.700 r/min ⁻¹	



Further details



Attachment

adunox-UP with bit pole and adapter

Article code: UPV5/6M

ø 5 - 6 mm	from 50 mm	Makita [®] DFS250
------------	------------	-------------------------------



Further details



Attachment

adunox-UP with bit pole and adapter

Article code: UPV5/6F

ø 5 - 6 mm	from 50 mm	Fein [®] ASCS 6.3 Select
------------	------------	--------------------------------------



Further details



BLUEfast500® – The Drywall Screws with 10 × Higher Rust Protection

Product BLUEfast500® Drywall Screws with Fine Thread



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9×25 mm	1311110-3925	PH2	1,000 pcs	on request
3.9×35 mm	1311110-3935	PH2	1,000 pcs	on request
3.9×45 mm	1311110-3945	PH2	1,000 pcs	on request
3.9×55 mm	1311110-3955	PH2	1,000 pcs	on request

CE

Product BLUEfast500® Drywall Screws with Coarse Thread



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9×25 mm	1312110-3925	PH2	1,000 pcs	180,000 pcs
3.9×30 mm	1312110-3930	PH2	1,000 pcs	180,000 pcs
3.9×35 mm	1312110-3935	PH2	1,000 pcs	180,000 pcs
3.9×41 mm	1312110-3941	PH2	1,000 pcs	180,000 pcs
3.9×45 mm	1312110-3945	PH2	1,000 pcs	180,000 pcs
3.9×55 mm	1312110-3955	PH2	1,000 pcs	180,000 pcs

CE

Product BLUEfast500® Drywall Screws with Drill Point



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9×25 mm	1313110-3525	PH2	1,000 pcs	180,000 pcs
3.9×35 mm	1313110-3535	PH2	1,000 pcs	180,000 pcs
3.9×45 mm	1313110-3545	PH2	1,000 pcs	180,000 pcs

CE

Product BLUEfast500® Tough Board Screws with Ho-Lo-Thread, ribs



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9×19 mm	1314110-3919	PH2	1,000 pcs	180,000 pcs
3.9×30 mm	1314110-3930	PH2	1,000 pcs	180,000 pcs
3.9×45 mm	1314110-3945	PH2	1,000 pcs	180,000 pcs

CE

For more information on BLUEfast500® drywall Screws and collated BLUEfast500® drywall Screws (belt system), see page 14 – 15!

Box Packed Drywall Screws

Product **Drywall Screws with Fine Thread, phosphated**



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 25 mm	1311010-3925	PH2	1,000 pcs	on request
3.9 × 30 mm	1311010-3930	PH2	1,000 pcs	on request
3.9 × 35 mm	1311010-3935	PH2	1,000 pcs	on request
3.9 × 45 mm	1311010-3945	PH2	1,000 pcs	on request
3.9 × 55 mm	1311010-3955	PH2	1,000 pcs	on request
4.2 × 70 mm	1311005-4270	PH2	500 pcs	on request
4.2 × 75 mm	1311005-4275	PH2	500 pcs	on request

CE

Product **Drywall Screws with Coarse Thread, phosphated**



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 25 mm	1312010-3925	PH2	1,000 pcs	on request
3.9 × 30 mm	1312010-3930	PH2	1,000 pcs	on request
3.9 × 35 mm	1312010-3935	PH2	1,000 pcs	on request
3.9 × 41 mm	1312010-3941	PH2	1,000 pcs	on request
3.9 × 45 mm	1312010-3945	PH2	1,000 pcs	on request
3.9 × 55 mm	1312010-3955	PH2	1,000 pcs	on request
4.2 × 75 mm	1312005-4275	PH2	500 pcs	on request
4.8 × 90 mm	1312003-4890	PH2	300 pcs	on request

CE

Product **Drywall Screws with Drill Point, phosphated**



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.5 × 25 mm	1313010-3525	PH2	1,000 pcs	on request
3.5 × 35 mm	1313010-3535	PH2	1,000 pcs	on request
3.5 × 45 mm	1313010-3545	PH2	1,000 pcs	on request
3.5 × 55 mm	1313010-3555	PH2	1,000 pcs	on request

CE

Product **Hardboard Screws, screw head with cutting edge, phosphate**



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 25 mm	1119P-39025	PH2	1,000 pcs	on request
3.9 × 38 mm	1119P-39038	PH2	1,000 pcs	on request
3.9 × 45 mm	1119P-39045	PH2	1,000 pcs	on request

CE

Box Packed Drywall Screws

Product Tough Board Screws with Hi-Lo-Thread, ribs, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 19 mm	1314010-3919	PH2	1,000 pcs	on request
3.9 × 30 mm	1314010-3930	PH2	1,000 pcs	on request
3.9 × 35 mm	1314010-3935	PH2	1,000 pcs	on request
3.9 × 45 mm	1314010-3945	PH2	1,000 pcs	on request



Product Drywall Screws with Coarse Thread (Plasterboard/Plasterboard)



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.5 × 38 mm	1312010-5538	PH2	1,000 pcs	on request



Product OSB Metal Stud Screws with Fine Thread
Drill Point, yellow zinc plated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 30 mm	1163G-39030	TX20	1,000 pcs	on request



Box Packed Sheet Metal Screws

Product Stand Connecting Screws, trapezium head, phosphated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 11 mm	1311010-3911	PH2	1,000 pcs	on request



Product Pan Head Screws with Drill Point, blue zinc plated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 12 mm	1580710-3912	PH2	1,000 pcs	on request

Product Wafer Head Screws with Drill Point, blue zinc plated



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.9 × 12 mm	1590710-3912	PH2	1,000 pcs	on request
3.9 × 19 mm	1590710-3919	PH2	1,000 pcs	on request
3.9 × 25 mm	1590710-3925	PH2	1,000 pcs	on request

Application Tip

Drywall Screws with Fine Thread

New Designation Referring to EN 14566:
Drywall Screws with Fine Thread, phosphated



Plasterboard on Metal (up to 0,7 mm metal)

Drywall Screws with Coarse Thread


New Designation Referring to EN 14566:
Drywall Screws with Coarse Thread, phosphated



Plasterboard on Wood


Drywall Screws with Drill Point

New Designation Referring to EN 14566:
Drywall Screws with drill point, phosphated



Plasterboard on Metal (0,8 mm to 2,3 mm metal)

Tough Board Screws



Cementitious Board on Metal
(up to 0,7 mm metal)

Cementitious Board on Wood

Correct Screw Length

Board	Metal	Wood
10.0 mm	screw length = 25 mm	screw length = 35 mm
12.5 mm	screw length = 25 mm	screw length = 35 mm
15.0 mm	screw length = 25 mm	screw length = 35 mm
20.0 mm	screw length = 35 mm	screw length = 45 mm
25.0 mm	screw length = 35 mm	screw length = 45 mm
12.5 mm × 2	screw length = 35 mm	screw length = 45 mm
15.0 mm + 20.0 mm	screw length = 45 mm	screw length = 55 mm
20.0 mm × 2	screw length = 55 mm	

When using a vapour barrier sheet, it might be specified by the producer a 30 mm or 41 mm long screw.

Plumbing Screws – Stainless Steel




2 pieces, with sealing washer, d=15 mm, stainless steel A2 



3 pieces, with sealing washer, d=15 mm, stainless steel A2 

Plumbing Screws Box Packed

Size	Drive	Screws/Box	Screws/Pallet	Article code	Article code
4.5 × 20 mm	TX20	200 pcs	on request	1380402-4520	1390402-4520
4.5 × 25 mm	TX20	200 pcs	on request	1380402-4525	1390402-4525
4.5 × 30 mm	TX20	200 pcs	on request	1380402-4530	1390402-4530
4.5 × 35 mm	TX20	200 pcs	on request	1380402-4535	1390402-4535
4.5 × 40 mm	TX20	200 pcs	on request	1380402-4540	1390402-4540
4.5 × 45 mm	TX20	200 pcs	on request	1380402-4545	1390402-4545
4.5 × 50 mm	TX20	200 pcs	on request	1380402-4550	1390402-4550
4.5 × 55 mm	TX20	200 pcs	on request	1380402-4555	1390402-4555
4.5 × 60 mm	TX20	200 pcs	on request	1380402-4560	1390402-4560
4.5 × 65 mm	TX20	200 pcs	on request	1380402-4565	1390402-4565
4.5 × 70 mm	TX20	200 pcs	on request	1380402-4570	1390402-4570
4.5 × 80 mm	TX20	200 pcs	on request	1380402-4580	1390402-4580
4.5 × 90 mm	TX20	200 pcs	on request	1380402-4590	1390402-4590
4.5 × 100 mm	TX20	200 pcs	on request	1380402-45100	1390402-45100
4.5 × 120 mm	TX20	100 pcs	on request	1380401-45120	1390401-45120
4.5 × 150 mm	TX20	100 pcs	on request	1380401-45150	1390401-45150



Plumbing Screws – Stainless Steel – Copper Coated

Plumbing Screws Box Packed



2 pieces, with sealing washer, d=15 mm, stainless steel A2 




3 pieces, with sealing washer, d=15 mm, stainless steel A2 

Size	Drive	Screws/Box	Screws/Pallet	Article code	Article code
4.5 × 20 mm	TX20	200 pcs	on request	1380502-4520	1390502-4520
4.5 × 25 mm	TX20	200 pcs	on request	1380502-4525	1390502-4525
4.5 × 30 mm	TX20	200 pcs	on request	1380502-4530	1390502-4530
4.5 × 35 mm	TX20	200 pcs	on request	1380502-4535	1390502-4535
4.5 × 40 mm	TX20	200 pcs	on request	1380502-4540	1390502-4540
4.5 × 45 mm	TX20	200 pcs	on request	1380502-4545	1390502-4545
4.5 × 50 mm	TX20	200 pcs	on request	1380502-4550	1390502-4550
4.5 × 55 mm	TX20	200 pcs	on request	1380502-4555	1390502-4555
4.5 × 60 mm	TX20	200 pcs	on request	1380502-4560	1390502-4560
4.5 × 65 mm	TX20	200 pcs	on request	1380502-4565	1390502-4565
4.5 × 70 mm	TX20	200 pcs	on request	1380502-4570	1390502-4570
4.5 × 80 mm	TX20	200 pcs	on request	1380502-4580	1390502-4580
4.5 × 90 mm	TX20	200 pcs	on request	1380502-4590	1390502-4590
4.5 × 100 mm	TX20	200 pcs	on request	1380502-45100	1390502-45100
4.5 × 120 mm	TX20	100 pcs	on request	1380501-45120	1390501-45120
4.5 × 150 mm	TX20	100 pcs	on request	1380501-45150	1390501-45150



adunox[®] VIEW

THE NOBLE WOOD CLADDING SCREW



ADVANTAGES:

- Small screw head
- Attractive rounded head with self-countersinking Nibs
- Contraction effect because of underhead thread for gapless assembly
- No overtwist
- Assembly close to the edge without splitting because of geometrically optimized drill tip
- Precise positioning and quick fixing
- High quality austenitic stainless steel A2 with high corrosion resistance
- Loose and collated


FIELD OF APPLICATION:

- Quick and high-quality facade assembly

Wood Cladding Screws

Ø Thread (mm)	Length (mm)	Thread + Drill Point (mm)	Ø Head (mm)	Recommended max. Component Thickness (mm)*	Article Code Loose	Article Code Collated	Drive
4.5	40	22	7.0	–	1154A-45040	1254A-45040	TX20
	50	25		–	1154A-45050	1254A-45050	
	60	28		19	1154A-45060	1254A-45060	
	70	28		29	1154A-45070	1254A-45070	

* for optimal contraction, other component thicknesses are possible after testing.



- Auto-Feed-Screwdriver for façade constructions
- Practical and handy device
- Precise adjustability
- Perfect setting qualities
- Imprint protection on the wood surface

Suitable for these Screws we recommend our

AUTO-FEED-SCREWDRIVER LA25-80M2



Further information on page 19.

Product

Wood Cladding Screws adunox®view, raised countersunk head with fixing thread, special point, part thread, stainless steel A2, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.5 × 40 mm	1154A-45040	TX20	200 pcs	on request
4.5 × 50 mm	1154A-45050	TX20	200 pcs	on request
4.5 × 60 mm	1154A-45060	TX20	200 pcs	on request
4.5 × 70 mm	1154A-45070	TX20	200 pcs	on request



Product

Wood Cladding Screws ECO-Line, raised countersunk head, ribs, cut point, part thread, stainless steel A2



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.5 × 50 mm	1156A-45050	TX20	200 pcs	on request
4.5 × 60 mm	1156A-45060	TX20	200 pcs	on request
4.5 × 70 mm	1156A-45070	TX20	200 pcs	on request



adunox Stainless Steel

Product

Universal Screws with Part Thread,
ribs, cut point, stainless steel A2, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.5 × 16 mm	1330405-3516	TX10	500 pcs	on request
3.5 × 20 mm	1330405-3520	TX10	500 pcs	on request
3.5 × 25 mm	1330405-3525	TX10	500 pcs	on request
3.5 × 30 mm	1330405-3530	TX10	500 pcs	on request
3.5 × 35 mm	1330405-3535	TX10	500 pcs	on request
3.5 × 40 mm	1330405-3540	TX10	500 pcs	on request
4.0 × 20 mm	1330405-4020	TX20	500 pcs	on request
4.0 × 25 mm	1330405-4025	TX20	500 pcs	on request
4.0 × 30 mm	1330405-4030	TX20	500 pcs	on request
4.0 × 35 mm	1330405-4035	TX20	500 pcs	on request
4.0 × 40 mm	1330405-4040	TX20	500 pcs	on request
4.0 × 45 mm	1330405-4045	TX20	500 pcs	on request
4.0 × 50 mm	1330402-4050	TX20	200 pcs	on request
4.5 × 20 mm	1330402-4520	TX20	200 pcs	on request
4.5 × 30 mm	1330402-4530	TX20	200 pcs	on request
4.5 × 40 mm	1330402-4540	TX20	200 pcs	on request
4.5 × 45 mm	1330402-4545	TX20	200 pcs	on request
4.5 × 50 mm	1330402-4550	TX20	200 pcs	on request
4.5 × 60 mm	1330402-4560	TX20	200 pcs	on request
4.5 × 70 mm	1330402-4570	TX20	200 pcs	on request
5.0 × 50 mm	1330402-5050	TX25	200 pcs	on request
5.0 × 60 mm	1330402-5060	TX25	200 pcs	on request
5.0 × 70 mm	1330402-5070	TX25	200 pcs	on request
5.0 × 80 mm	1330401-5080	TX25	100 pcs	on request
6.0 × 80 mm	1330402-6080	TX25	200 pcs	on request
6.0 × 100 mm	1330401-60100	TX25	100 pcs	on request
6.0 × 120 mm	1330401-60120	TX25	100 pcs	on request



Product

Self-Drilling Screws with Part Thread,
ribs, stainless steel A2, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0 × 50 mm	1140A2-5050Z	TX25	200 pcs	on request
5.0 × 60 mm	1140A2-5060Z	TX25	200 pcs	on request
5.0 × 70 mm	1140A2-5070Z	TX25	200 pcs	on request
5.0 × 80 mm	1140A2-5080Z	TX25	200 pcs	on request



Product **Mini-Head Screws with Part Thread,**
milling shank, cut point, C1 / AISI 410 „stainless steel“



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0 × 50 mm	1396602-5050	TX25	200 pcs	on request
5.0 × 60 mm	1396602-5060	TX25	200 pcs	on request
5.0 × 70 mm	1396602-5070	TX25	200 pcs	on request
5.0 × 80 mm	1396602-5080	TX25	200 pcs	on request
5.0 × 90 mm	1396602-5090	TX25	200 pcs	on request

Product **Terrace Screws with Part Thread,**
milling shank, cut point, C1 / AISI 410 “stainless steel”



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0 × 40 mm	1320602-5040	TX25	200 pcs	on request
5.0 × 50 mm	1320602-5050	TX25	200 pcs	on request
5.0 × 60 mm	1320602-5060	TX25	200 pcs	on request
5.0 × 70 mm	1320602-5070	TX25	200 pcs	on request
5.0 × 80 mm	1320602-5080	TX25	200 pcs	on request



Product **Terrace Screws with Part Thread,**
head style: cylinder, cut point, C1 / AISI 410 “stainless steel”



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.0 × 45 mm	1321602-5045	TX25	200 pcs	on request
5.0 × 50 mm	1321602-5050	TX25	200 pcs	on request
5.0 × 60 mm	1321602-5060	TX25	200 pcs	on request
5.0 × 70 mm	1321602-5070	TX25	200 pcs	on request
5.0 × 80 mm	1321602-5080	TX25	200 pcs	on request



Product **Terrace Screws with Part Thread,**
milling shank, cut point, stainless steel A2



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.3 × 40 mm	1320402-5340	TX25	200 pcs	on request
5.3 × 50 mm	1320402-5350	TX25	200 pcs	on request
5.3 × 60 mm	1320402-5360	TX25	200 pcs	on request
5.3 × 70 mm	1320402-5370	TX25	200 pcs	on request
5.3 × 80 mm	1320402-5380	TX25	200 pcs	on request



adunox Stainless Steel

Product

Floorboard Self-Drilling Screws,
 ribs, raised countersunk head, stainless steel A2



Size	Article code	Drive	Screws/Box	Screws/Pallet
3.2 × 30 mm	1325404-3230	TX10	400 pcs	on request
3.2 × 35 mm	1325404-3235	TX10	400 pcs	on request
3.2 × 40 mm	1325404-3240	TX10	400 pcs	on request
3.2 × 50 mm	1325404-3250	TX10	400 pcs	on request
3.2 × 60 mm	1325404-3260	TX10	400 pcs	on request



Product

adunox Slate Screws, stainless steel A2



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 32 mm	1395405-4032	TX20	500 pcs	on request



Made in
 Germany

Product

adunox Slate Screws, stainless steel A2, colored "slate-gray"



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.0 × 32 mm	1395905-4032	TX20	500 pcs	on request



Made in
 Germany



Carpentry Wood Screws with Washer Head

Product

Carpentry Wood Screws with Washer Head and Part Thread, cut point, stainless steel A2, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
6.0 × 30 mm	1184A-60030	TX25	100 pcs	on request
6.0 × 40 mm	1184A-60040	TX25	100 pcs	on request
6.0 × 50 mm	1184A-60050	TX25	100 pcs	on request
6.0 × 60 mm	1184A-60060	TX25	100 pcs	on request
6.0 × 70 mm	1184A-60070	TX25	100 pcs	on request
6.0 × 80 mm	1184A-60080	TX25	100 pcs	on request
6.0 × 100 mm	1184A-60100	TX25	100 pcs	on request
6.0 × 120 mm	1184A-60120	TX25	100 pcs	on request
6.0 × 140 mm	1184A-60140	TX25	100 pcs	on request
6.0 × 160 mm	1184A-60160	TX25	100 pcs	on request
6.0 × 180 mm	1184A-60180	TX25	100 pcs	on request
6.0 × 200 mm	1184A-60200	TX25	100 pcs	on request
6.0 × 220 mm	1184A-60220	TX25	50 pcs	on request
6.0 × 240 mm	1184A-60240	TX25	50 pcs	on request
6.0 × 260 mm	1184A-60260	TX25	50 pcs	on request
6.0 × 280 mm	1184A-60280	TX25	50 pcs	on request
6.0 × 300 mm	1184A-60300	TX25	50 pcs	on request
8.0 × 40 mm	1184A-80040	TX40	100 pcs	on request
8.0 × 50 mm	1184A-80050	TX40	100 pcs	on request
8.0 × 60 mm	1184A-80060	TX40	100 pcs	on request
8.0 × 80 mm	1184A-80080	TX40	100 pcs	on request
8.0 × 100 mm	1184A-80100	TX40	100 pcs	on request
8.0 × 120 mm	1184A-80120	TX40	50 pcs	on request
8.0 × 140 mm	1184A-80140	TX40	50 pcs	on request
8.0 × 160 mm	1184A-80160	TX40	50 pcs	on request
8.0 × 180 mm	1184A-80180	TX40	50 pcs	on request
8.0 × 200 mm	1184A-80200	TX40	50 pcs	on request
8.0 × 220 mm	1184A-80220	TX40	50 pcs	on request
8.0 × 240 mm	1184A-80240	TX40	50 pcs	on request
8.0 × 260 mm	1184A-80260	TX40	50 pcs	on request
8.0 × 280 mm	1184A-80280	TX40	50 pcs	on request
8.0 × 300 mm	1184A-80300	TX40	50 pcs	on request



adunox Farmer Screws

Product

Farmer Screws, blue zinc plated, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.8 × 20 mm	1168H-48020	SW8	100 pcs	on request
4.8 × 28 mm	1168H-48028	SW8	100 pcs	on request
4.8 × 35 mm	1168H-48035	SW8	100 pcs	on request
4.8 × 50 mm	1168H-48050	SW8	100 pcs	on request
4.8 × 60 mm	1168H-48060	SW8	100 pcs	on request
4.8 × 70 mm	1168H-48070	SW8	100 pcs	on request
4.8 × 80 mm	1168H-48080	SW8	100 pcs	on request
4.8 × 100 mm	1168H-48100	SW8	100 pcs	on request



Product

Farmer Screws, blue zinc plated, colored screw head (RAL 7016), with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.8 × 20 mm	1169H-48020	SW8	100 pcs	on request
4.8 × 28 mm	1169H-48028	SW8	100 pcs	on request
4.8 × 35 mm	1169H-48035	SW8	100 pcs	on request
4.8 × 50 mm	1169H-48050	SW8	100 pcs	on request
4.8 × 60 mm	1169H-48060	SW8	100 pcs	on request
4.8 × 70 mm	1169H-48070	SW8	100 pcs	on request
4.8 × 80 mm	1169H-48080	SW8	100 pcs	on request
4.8 × 100 mm	1169H-48100	SW8	100 pcs	on request



Product

Farmer Screws, blue zinc plated, colored screw head (RAL 8012), with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.8 × 20 mm	1167H-48020	SW8	100 pcs	on request
4.8 × 28 mm	1167H-48028	SW8	100 pcs	on request
4.8 × 35 mm	1167H-48035	SW8	100 pcs	on request
4.8 × 60 mm	1167H-48060	SW8	100 pcs	on request
4.8 × 80 mm	1167H-48080	SW8	100 pcs	on request



Product

Farmer Screws, blue zinc plated, colored screw head (RAL 9010), with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.8 × 20 mm	1170H-48020	SW8	100 pcs	on request
4.8 × 28 mm	1170H-48028	SW8	100 pcs	on request
4.8 × 35 mm	1170H-48035	SW8	100 pcs	on request
4.8 × 60 mm	1170H-48060	SW8	100 pcs	on request
4.8 × 80 mm	1170H-48080	SW8	100 pcs	on request



Product

Farmer Screws, bimetal, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.5 × 25 mm	1168BI-55025	SW8	100 pcs	on request
5.5 × 32 mm	1168BI-55032	SW8	100 pcs	on request
5.5 × 38 mm	1168BI-55038	SW8	100 pcs	on request



Product

Farmer Screws, bimetal, colored screw head (RAL 7016), with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
5.5 × 25 mm	1169BI-55025	SW8	100 pcs	on request
5.5 × 32 mm	1169BI-55032	SW8	100 pcs	on request
5.5 × 38 mm	1169BI-55038	SW8	100 pcs	on request



Product

Farmer Screws, C1/AISI 410 „stainless steel”, with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.8 × 20 mm	1168A-48020	SW8	100 pcs	on request
4.8 × 35 mm	1168A-48035	SW8	100 pcs	on request
4.8 × 60 mm	1168A-48060	SW8	100 pcs	on request



Product

Farmer Screws, C1/AISI 410 „stainless steel”, colored screw head (RAL 7016), with approval (ETA)



Size	Article code	Drive	Screws/Box	Screws/Pallet
4.8 × 20 mm	1169A-48020	SW8	100 pcs	on request
4.8 × 35 mm	1169A-48035	SW8	100 pcs	on request
4.8 × 60 mm	1169A-48060	SW8	100 pcs	on request



These farmer Screws are also available in other RAL colors. Please contact us personally so we can make you an individual offer.



Woodwork Screws

SuperUni Woodwork Screws/Chipboard Screws with Part Thread,
cut point, ribs, milling shank (from 40 mm screw length)



Size	Drive	Screws/Box	Screws/Pallet	Article code	Article code
3.5 × 16 mm	TX15	500 pcs	on request	1350305-3516AZ	1350705-3516AZ
3.5 × 20 mm	TX15	500 pcs	on request	1350305-3520AZ	1350705-3520AZ
3.5 × 25 mm	TX15	500 pcs	on request	1350305-3525AZ	1350705-3525AZ
3.5 × 30 mm	TX15	200 pcs	on request	1350302-3530AZ	1350702-3530AZ
3.5 × 35 mm	TX15	200 pcs	on request	1350302-3535AZ	1350702-3535AZ
3.5 × 40 mm	TX15	200 pcs	on request	1350302-3540AZ	1350702-3540AZ
3.5 × 50 mm	TX15	200 pcs	on request	1350302-3550AZ	1350702-3550AZ
4.0 × 20 mm	TX20	500 pcs	on request	1350305-4020AZ	1350705-4020AZ
4.0 × 25 mm	TX20	500 pcs	on request	1350305-4025AZ	1350705-4025AZ
4.0 × 30 mm	TX20	200 pcs	on request	1350302-4030AZ	1350702-4030AZ
4.0 × 35 mm	TX20	200 pcs	on request	1350302-4035AZ	1350702-4035AZ
4.0 × 40 mm	TX20	200 pcs	on request	1350302-4040AZ	1350702-4040AZ
4.0 × 45 mm	TX20	200 pcs	on request	1350302-4045AZ	1350702-4045AZ
4.0 × 50 mm	TX20	200 pcs	on request	1350302-4050AZ	1350702-4050AZ
4.0 × 60 mm	TX20	200 pcs	on request	1350302-4060AZ	1350702-4060AZ
4.5 × 30 mm	TX25	200 pcs	on request	1350302-4530AZ	1350702-4530AZ
4.5 × 35 mm	TX25	200 pcs	on request	1350302-4535AZ	1350702-4535AZ
4.5 × 40 mm	TX25	200 pcs	on request	1350302-4540AZ	1350702-4540AZ
4.5 × 45 mm	TX25	200 pcs	on request	1350302-4545AZ	1350702-4545AZ
4.5 × 50 mm	TX25	200 pcs	on request	1350302-4550AZ	1350702-4550AZ
4.5 × 60 mm	TX25	200 pcs	on request	1350302-4560AZ	1350702-4560AZ
4.5 × 70 mm	TX25	200 pcs	on request	1350302-4570AZ	1350702-4570AZ
4.5 × 80 mm	TX25	200 pcs	on request	1350302-4580AZ	1350702-4580AZ
5.0 × 30 mm	TX25	200 pcs	on request	1350302-5030AZ	1350702-5030AZ
5.0 × 35 mm	TX25	200 pcs	on request	1350302-5035AZ	1350702-5035AZ
5.0 × 40 mm	TX25	200 pcs	on request	1350302-5040AZ	1350702-5040AZ
5.0 × 45 mm	TX25	200 pcs	on request	1350302-5045AZ	1350702-5045AZ
5.0 × 50 mm	TX25	200 pcs	on request	1350302-5050AZ	1350702-5050AZ
5.0 × 60 mm	TX25	200 pcs	on request	1350302-5060AZ	1350702-5060AZ
5.0 × 70 mm	TX25	200 pcs	on request	1350302-5070AZ	1350702-5070AZ
5.0 × 80 mm	TX25	200 pcs	on request	1350302-5080AZ	1350702-5080AZ
5.0 × 90 mm	TX25	200 pcs	on request	1350302-5090AZ	1350702-5090AZ
5.0 × 100 mm	TX25	200 pcs	on request	1350302-50100AZ	1350702-50100AZ
5.0 × 110 mm	TX25	100 pcs	on request	1350301-50110AZ	1350701-50110AZ



SuperUni Woodwork Screws/Chipboard Screws with Part Thread, cut point, ribs, milling shank (from 40 mm screw length)

Size	Drive	Screws/Box	Screws/Pallet	Article code	Article code
5.0×120mm	TX25	100 pcs	on request	1350301-50120AZ	1350701-50120AZ
6.0×80mm	TX30	200 pcs	on request	1350302-6080AZ	1350702-6080AZ
6.0×90mm	TX30	200 pcs	on request	1350302-6090AZ	1350702-6090AZ
6.0×100mm	TX30	200 pcs	on request	1350302-60100AZ	1350702-60100AZ
6.0×110mm	TX30	100 pcs	on request	1350301-60110AZ	1350701-60110AZ
6.0×120mm	TX30	100 pcs	on request	1350301-60120AZ	1350701-60120AZ
6.0×130mm	TX30	100 pcs	on request	1350301-60130AZ	1350701-60130AZ
6.0×140mm	TX30	100 pcs	on request	1350301-60140AZ	1350701-60140AZ
6.0×150mm	TX30	100 pcs	on request	1350301-60150AZ	1350701-60150AZ
6.0×160mm	TX30	100 pcs	on request	1350301-60160AZ	1350701-60160AZ
6.0×180mm	TX30	100 pcs	on request	1350301-60180AZ	1350701-60180AZ
8.0×200mm	TX40	75 pcs	on request	1350357-80200AZ	1350757-80200AZ
8.0×220mm	TX40	75 pcs	on request	1350357-80220AZ	1350757-80220AZ
8.0×240mm	TX40	75 pcs	on request	1350357-80240AZ	1350757-80240AZ
8.0×260mm	TX40	75 pcs	on request	1350357-80260AZ	1350757-80260AZ
8.0×280mm	TX40	75 pcs	on request	1350357-80280AZ	1350757-80280AZ
8.0×300mm	TX40	75 pcs	on request	1350357-80300AZ	1350757-80300AZ
8.0×320mm	TX40	75 pcs	on request	1350357-80320AZ	1350757-80320AZ

Head Shapes

- Countersunk milling rib head
- Very little damaging of coated timber products
- Suitable for fitting and direct screwing



Chrome(III) Zinc Plated (Yellow) / Chrome(VI)-Free

- Chrome(III) zinc plated (yellow)
- Chrome(VI)-free and is hence considerably more environmentally friendly than zinc plated (yellow) surfaces

Type 17 Cutting Point

- Aids penetration and eliminates the need to pre-drill in almost all timbers and composites
- Special long sharp point fluted to capture chips
- Eliminates splitting even when close to the edge of the timber
- No pre-drilling required in most hard woodscrew point takes immediate hold

Shank Cutter

- Reduced drive-in torque, above all with long Screws

Carpentry Wood Screws with Washer Head

Carpentry Wood Screws with Washer Head and Part Thread, (6.0x30 mm to 6.0x60 mm and 8.0x40mm to 8.0x60mm Full Thread), milling flutes (from 70 mm screw length), cut point, blue zinc plated, with approval (ETA)

Product



Size	Article code	Drive	Screws/Box	Screws/Pallet
6.0 × 30 mm	1184H-60030	TX30	100 pcs	on request
6.0 × 40 mm	1184H-60040	TX30	100 pcs	on request
6.0 × 50 mm	1184H-60050	TX30	100 pcs	on request
6.0 × 60 mm	1184H-60060	TX30	100 pcs	on request
6.0 × 70 mm	1184H-60070	TX30	100 pcs	on request
6.0 × 80 mm	1184H-60080	TX30	100 pcs	on request
6.0 × 100 mm	1184H-60100	TX30	100 pcs	on request
6.0 × 120 mm	1184H-60120	TX30	100 pcs	on request
6.0 × 140 mm	1184H-60140	TX30	100 pcs	on request
6.0 × 160 mm	1184H-60160	TX30	100 pcs	on request
6.0 × 180 mm	1184H-60180	TX30	100 pcs	on request
6.0 × 200 mm	1184H-60200	TX30	100 pcs	on request
6.0 × 220 mm	1184H-60220	TX30	100 pcs	on request
6.0 × 240 mm	1184H-60240	TX30	100 pcs	on request
6.0 × 260 mm	1184H-60260	TX30	100 pcs	on request
6.0 × 280 mm	1184H-60280	TX30	100 pcs	on request
6.0 × 300 mm	1184H-60300	TX30	100 pcs	on request
8.0 × 40 mm	1184H-80040	TX40	100 pcs	on request
8.0 × 50 mm	1184H-80050	TX40	100 pcs	on request
8.0 × 60 mm	1184H-80060	TX40	100 pcs	on request
8.0 × 80 mm	1184H-80080	TX40	50 pcs	on request
8.0 × 100 mm	1184H-80100	TX40	50 pcs	on request
8.0 × 120 mm	1184H-80120	TX40	50 pcs	on request
8.0 × 140 mm	1184H-80140	TX40	50 pcs	on request
8.0 × 160 mm	1184H-80160	TX40	50 pcs	on request
8.0 × 180 mm	1184H-80180	TX40	50 pcs	on request
8.0 × 200 mm	1184H-80200	TX40	50 pcs	on request
8.0 × 220 mm	1184H-80220	TX40	50 pcs	on request
8.0 × 240 mm	1184H-80240	TX40	50 pcs	on request
8.0 × 260 mm	1184H-80260	TX40	50 pcs	on request
8.0 × 280 mm	1184H-80280	TX40	50 pcs	on request
8.0 × 300 mm	1184H-80300	TX40	50 pcs	on request



Carpentry Wood Screws with Washer Head and Part Thread, (6.0x30 mm to 6.0x60 mm and 8.0x40mm to 8.0x60mm Full Thread), milling flutes (from 70 mm screw length), cut point, blue zinc plated, with approval (ETA)

Product



Size	Article code	Drive	Screws / Box	Screws / Pallet
10.0 × 100 mm	1184H-10100	TX40	50 pcs	on request
10.0 × 120 mm	1184H-10120	TX40	50 pcs	on request
10.0 × 140 mm	1184H-10140	TX40	50 pcs	on request
10.0 × 160 mm	1184H-10160	TX40	50 pcs	on request
10.0 × 180 mm	1184H-10180	TX40	50 pcs	on request
10.0 × 200 mm	1184H-10200	TX40	50 pcs	on request
10.0 × 220 mm	1184H-10220	TX40	25 pcs	on request
10.0 × 240 mm	1184H-10240	TX40	25 pcs	on request
10.0 × 260 mm	1184H-10260	TX40	25 pcs	on request
10.0 × 280 mm	1184H-10280	TX40	25 pcs	on request
10.0 × 300 mm	1184H-10300	TX40	25 pcs	on request





adunox  [®]
ADHESIVE
TECHNOLOGY

- **Compatibility**
- **Flexibility**
- **Perfect Alignment**
- **Strong Holding Power**

adunox[®] Adhesive Technology



The Cordless Hot Glue Gun

with the flexible battery system and very strong hot melt adhesive.

What particularly distinguishes the adunox[®] adhesive technology

- **COMPATIBILITY**
Use the glue gun with your existing battery.
- **FLEXIBILITY**
Suitable for joining many different materials.
- **PERFECT ALIGNMENT**
Depending on the adhesive, you have up to 180 seconds to readjust.
- **BIG STRENGTH**
adunox[®]-EXTREME hot melt adhesive for very big holding strength.

COMPATIBILITY FOR A BIG RANGE OF BATTERIES

With the desired adapter for your adunox[®] glue gun, you can easily use the battery you already work with. No need to buy a new battery. The matching adapters are available for batteries from well-known brands:



Product



adunox[®] Cordless Hot Glue Gun

Article code: HKP-01

1 kg/h

195 °C

18V



Further details

Product



adunox[®] Cordless Hot Glue Gun in a Set incl. Adapter

... for Makita[®]-Battery
Article code: HKP-01-MA

... for Milwaukee[®]-Battery
Article code: HKP-01-MI

... for DeWalt[®]-Battery
Article code: HKP-01-DE

... for Bosch[®]-Professional-Battery
Article code: HKP-01-BO



Further details

1 kg/h

195 °C

18V

Adapter
incl.

2x Adhesive
incl.



In power mode (195°), the viscosity is reduced due to the high temperature.

This means a longer curing time of the adhesive, as well as a stronger adhesive force.

POWER MODE



The Eco mode causes a fast curing of the adhesive and an increase in viscosity.

ECO MODE

Product



Adapter for the Hot Glue Gun HKP-01

... for Makita®-battery
Article code: KT-ADAPTER-MAKITA

... for DeWalt®-battery
Article code: KT-ADAPTER-DEWALT

... for Milwaukee®-battery
Article code: KT-ADAPTER-MILWAUKI

... for Bosch®-Professional-battery
Article code: KT-ADAPTER-BOSCH



Further details

adunox®-EXTREME Hot-Melt Glue



For quick bonding
(processing time: up to 48 seconds)

For bonding with adjustment time
(processing time: up to 180 seconds)

Product

adunox®- EXTREME180 Hot-Melt Glue



Article code: KT-STICK180

180 sec.

250 mm

12 sticks

light brown



Further details

Product

adunox®- EXTREME48 Hot-Melt Glue



Article code: KT-STICK48

48 sec.

250 mm

12 sticks

transparent



Further details

Product

adunox® Adhesive Technology – Retailer Starter-Set




Article code: KT-Start-01

The starter-set for retailers consists of:

- 5x Hot Glue Gun HKP-01
- 5x Adapter of your choice (for Makita®, DeWalt®, Milwaukee® oder Bosch® Prof.)
- 19x Hot Melt Adhesive adunox-EXTREME48
- 19x Hot Melt Adhesive adunox-EXTREME180
- 1x sales display



Further details




You want to Process Screws, Nuts, Nails or Anchor Economically in Series?

We would like to support you from the idea to the production!

PLEASE CONTACT US:
technology@adunox.com

OUR EXPERIENCE = YOUR PROFIT



Feasibility Studies

Many, but not all, fasteners can be collated and then processed more quickly and easily. We would be happy to check whether it makes sense to collate your fasteners or not.

Project (Preliminary Stage)

Before the final decision to start a project, a to-do list, a time schedule and a cost estimate are prepared.

Prototype Production

After the GO, we design and build prototypes. Here, attention is already paid to ensuring that later series production can be carried out economically.


Welcome to our new company headquarters in Schotten (Germany)...

adunox [®]

big in *COLLATED SCREWS*




Office Building




Training Room



Production: Belt Collated Screws



Milling Machine



Mechanical Engineering for Prototypes and Small Series



adunox - Product Videos simply. on point.

Visit our online channels on Facebook, Instagram or Youtube and never miss any news again. At regular intervals, we post Karsten's explanatory videos, exciting impressions from our day-to-day business and, of course, the latest innovations.

Visit us online on the following channels:

adunox ®
www.adunox.com



adunox[®] Label-System



Screw Drive Colours...



Colours of the Screw Surfaces or the Material...



Example Labels for Boxes with...

... Screws coil system



... 500 Screws belt system




... loose Screws



... tools



... bits



adunox[®] FUN

adunox[®] Headwear

Product

- adunox Knitted Cap Grey
Article code: FF-2021/1
- adunox Knitted Cap Black
Article code: FF-2021/2
- adunox Basecap
Article code: FF-2021/3



WEGENER

EST. 1817

High-quality knitted hats from
company WEGENER.
Tradition since 1817.



Stunt Kite

For Young and Old

Product

- Incl. transportbag
- 2 handles with kite cord

Article code: FF-2020



Stand-Up Paddle Board

The Allround-Board for
Newcomer and Athletic
People

Product

- Double layer
PVC-board
- Backpack
- Paddle
- Hand pump
- Repair kit

Article code: FF-2019



Original Tiroler 2-seater SLED

Product

Made from solid
Austrian ash wood

Article code: FF-2017



Longboard

Product

- Bambus Deck
- ABEC 11

Article code: FF-2016



Wheel-Bench „original Breungeshainer“

Product

German Craftsmanship, assembled with
stainless steel Screws from adunox.

Article code: FF-2015



General Terms and Condition of sale

Status 01. March 2013

Version for Importers for products and services manufactured by adunox GmbH (hereinafter: adunox), which are marketed and sold by the company or distributed against payment.

I. General provisions

1. The conditions below apply to all orders. The mutual written or electronic declarations shall prevail for the scope of delivery or services (hereinafter: „deliveries“). The general terms and conditions of the customer shall apply only insofar as the supplier or service provider (hereinafter: „supplier“) has expressly agreed to these in writing. Verbal agreements prior to or at the time of concluding the contract shall require written confirmation by the supplier in order to become effective.
2. Offers are without engagement; quotations are tendered without commitment. The supplier retains all copyrights and rights of legal protection of registered designs in its quotations, drawings and other documentation (hereinafter: „documents“). Documents may not be copied or made accessible to third parties without the prior permission of the supplier and upon written request must be returned to the supplier immediately and in full if the order is not placed with the supplier. The above sentences 1 and 2 correspondingly apply to documentation pertaining to the customer, which may however be made accessible to such third parties to which the supplier has transferred deliveries upon consent.
3. The customer shall have the non-exclusive right to use any standard software with the agreed performance characteristic in unmodified form and on the agreed equipment. The customer has the right to make two back-up copies without express permission.
4. Partial deliveries and corresponding billing is permissible insofar as this is reasonable to the customer.

II. Prices and payment

1. Prices apply ex works Schotten/Rainrod (Germany) and exclusive of packaging costs and the applicable legal turnover tax. Invoices shall be calculated on the basis of the price list valid at the time of delivery; all deliveries shall be subject to VAT unless exempt from tax. This applies in particular to export deliveries or deliveries to NATO.
2. Where the supplier is to assemble and commission an installation and in the absence of any other agreement, all necessary incidental charges such as travel expenses, costs for the transport of tools and personal luggage as well as accommodation allowances shall be borne by the customer in addition to any agreed reimbursement.
3. Payment is to be made free domicile of the supplier.

III. Retention of ownership

1. We retain the title in the goods supplied until all claims from the business relations with the ordering party are satisfied.
2. The extended reservation of proprietary rights is also deemed to have been agreed. If the ordering party sells the goods on, he shall assign his claims against the buyer irrevocably to us until the claims arising from the conditional goods are settled.
3. The ordering party performs any processing of the conditional goods always on behalf of the supplier. If the conditional goods are processed or inseparably mixed with other items not belonging to the supplier, the supplier will acquire co-ownership in the new object in proportion to the invoice value of the conditional goods to the other processed or mixed items at the time of processing or mixing. If the suppliers goods are combined or inseparably mixed into a unified object with other movable objects and the other object is considered to be the chief object, it shall be deemed to have been agreed that the ordering party assigns to the supplier proportional co-ownership to the extent that the chief object belongs to him.
4. The ordering party keeps the property or joint property on behalf of the supplier. The same shall apply to the generated from processing or joining or mixing as applies to the conditional goods.
5. In case of a delay in payment or in the event of a substantial deterioration of the financial situation of the buyer, we are entitled to demand the surrender of the goods supplied by us under retention of title at the ordering party's expense even without exercising the right to rescind the contract or setting a final deadline.
6. We may sell these goods by bargaining, provided that the proceeds from the sale less a deduction for the costs incurred by the surrender and disposal are credited to the buyer.
7. If excessive collateral of at least 20 per cent in our favor arises as a result of the aforementioned stipulations, we are prepared to release the securities exceeding this minimum sum at customers demand.

IV. Delivery period and delay

1. The agreed delivery periods refer to the dispatch of goods ex works or from the shipping point. The agreed delivery periods are binding only if all the documentation, necessary releases and authorization have been received from the customer, in particular of plans and agreed terms of payment or prepayment as well as any other obligations by the customer. If these preconditions are not met on time, the time limits for the supplier shall be extended appropriately; this does not apply if the supplier is responsible for the above mentioned delays.
2. The delivery delay increases proportionately without giving the customer the right to any claims for damages if the supplier does not adhere to the agreed time limit in the event of difficulties attributable to vis major. This includes actions as part of mobilization, war, riots or similar events and instances which are not within the control of the supplier and may jeopardize the successful processing of the order – in particular delivery delays on the part of the subcontractor of the supplier, transport or equipment failure, industrial disputes, etc.
3. If dispatch or delivery is delayed at the request of the customer by more than one month after notification of readiness of shipment, the customer may be charged storage costs for each month contracted at a rate 0.5 % of the price of the object of delivery or a maximum of 5 %. The contractual parties are not under obligation to provide proof of higher or lower storage costs.

V. Export

1. The goods supplied by the supplier must not be exported to any other countries in their delivered state without the prior written permission of the supplier other than those specified in the order. This does not apply for re-exports within the territory of the European Common Market.
2. In the event of contravention, the supplier has the right to claim for damages and to withdraw from current and future orders.
3. The customer undertakes to observe the provisions of the foreign trade law, the CO-COM regulations and the US Export Administration Regulations in respect of the export of any products and services obtained from us.

VI. Dispatch/ Passage of risk/ Customer complaints/ Acceptance

1. All deliveries shall be effected ex works/shipment location of the supplier at the risk of the customer from a location to be determined by us to the known or specified shipment address. At the written request and at the expense of the customer, arrangements shall be made by the supplier to insure consignments to the desired extent against transport risks.
2. Insofar as the supplier is obligated through the packaging decree to take back the packaging used for the transport, the customer shall bear the costs for the return transport of the packaging used and the specified recycling costs thereof or – insofar as this is possible and deemed expedient by the supplier – any reasonable costs arising additionally for the re-use of the said packaging.
3. The risk shall pass to the customer – also in the case of carriage-free delivery – as follows: a) In the case of deliveries without installation or assembly, with due provision ex ramp at the place of dispatch for acceptance by the transport person. b) In the case of deliveries subject to installation or assembly on the day of acceptance or commissioning at the customer's plant or, insofar as agreed, after problem-free trial operation.
4. If shipment, delivery, the start, the implementation of installation or assembly, the acceptance or commissioning in-house or the trial operation has been delayed by the customer for justifiable reasons or if the customer defaults in acceptance for other reasons, the customer shall assume the risk from the start of delay.
5. The supplier must be notified immediately in writing of any complaints due to incomplete or incorrect delivery or as a result of any recognizable defects. Defects, which are not obvious, are to be notified in writing within seven days after receipt of goods. Postage within that period is sufficient. Carton stick-on labels, delivery note/invoice numbers or inspection tickets enclosed with the consignment are to be quoted in the complaint. Any warranty claims become null and void if the complaint is not notified in due time.
6. Deliveries must be accepted by the customer even in the case of immaterial defects.

VII. Payment

1. Payments are to be made in accordance with the terms of payment specified by us. The supplier has the right but is not obligated to, offset payments to the oldest due debt. Remittances, cheques and drafts – insofar as payment has been previously approved in writing by the supplier – are not deemed to be paid under the terms of the contract until honoured i.e. non-forfeitably credited to the account of the supplier.
2. The invoice amount is payable within 30 days net cash unless otherwise agreed in writing beforehand.
3. Assembly and repair costs and product information costs are net payable immediately.
4. If the target date lapses, the supplier has the right to claim penalty interest on arrears of 7% above the respective principal refinancing rate set by the European Central Bank.
5. In the event of a subsequent serious deterioration in the financial affairs of the customer which puts at risk the supplier's right to claim payment, the supplier shall have the right to claim immediate payment of all debts due from the business relationship; this also applies in the case of the referral or acceptance of drafts or cheques. Subject to the same conditions or if the customer has a poor payment record from previous transactions, the supplier has the right to demand payment in advance or a good-faith deposit in respect of any current or future transactions. The statutory provisions regarding default in payment remain unaffected by this.
6. The customer is authorized solely to offset claims, which have been legally determined or are undisputed.
7. Invoices are issued in Euro or US\$. The Euro-amount shall also be the prevailing amount if foreign currency amounts are specified in invoices in addition to the Euro amount. Incoming amounts in foreign currency are offset against the Euro proceeds obtained from the amount denominated in foreign currency and credited.

VIII. Liability for material defects

The supplier shall assume full liability for any damage or loss arising from personal injury such as the loss of lives, physical injuries or damage to health which may have arisen from the supplier's intentional or negligent failure to comply with its duties or an intentional or negligent failure of a representative by operation of law or vicarious agent of the supplier to comply with its duties as well as for any damage or loss caused by a grossly negligent failure of the supplier to comply with its duties or an intentional or grossly negligent failure of a representative by operation of law or vicarious agent of the supplier to comply with its duties. If any defects in material and/or manufacturing defects were to be detected, the supplier shall assume liability pursuant to the country-specific statutory provisions for material defects as well as expressly warranted characteristics and faultlessness of products supplied in accordance with the respective state of the art technology. Any modifications in design or construction generally carried out by us prior to delivery of an order shall not give rise to a complaint. The supplier recommends keeping the operator's manual, the notes on safety, the list of spare parts and the receipt in a safe place. The supplier shall assume liability as follows for any shortfall in expressly warranted characteristics:

1. The period of liability for the supplier's products and merchandise shall, in general, be twelve months and shall come into effect at the date of delivery to the user and at the latest twelve months after despair of the goods to the customer. Within the EU, in contrast, the supplier shall assume a 12-month liability for material defects vis-à-vis industrial or commercial customers and a 24-month liability for material defects vis-à-vis customers who exclusively use the products for private purposes.
2. Any undertaking by the supplier to the user extending the period of liability for material defects remains unaffected by the provisions of paragraph 1.
3. Within the framework of the provisions stated below, the supplier shall assume a 12-month liability from the date of purchase for material defects in adunox -branded products and merchandise sold within the EU both vis-à-vis private and commercial/ industrial users. Otherwise, the supplier shall, however, assume liability for the aforementioned adunox -branded products and merchandise in conformity with the national regulations concerned over a period of at least twelve months.
4. Any claims arising from liability for material defects shall become statute-barred upon expiry of the periods mentioned in paragraph 1 after notification of complaints; the supplier must promptly upon discovery be notified in writing of any defects discovered.
5. Liability for material defects shall comprise gratuitous rectification of any defects which might be discovered within the period of liability for material defects and the supply shall at its discretion have the option to either have the rejected products repaired or replaced. Any parts, which may be replaced, shall become the supplier's property.
6. One condition for the recognition of a liability claim based on a material defect shall be that the machine was purchased within the EU and that the claim for liability for material defects is still valid. The user must submit evidence of purchase in the form of an original machine-printed receipt indicating the address of the buyer and the seller, the date of purchase and the exact model name of the product. The rejected product shall be sent to the supplier or the nearest official service center of the supplier for repairs. It shall neither be opened nor disassembled. If the complaint proves to be justified, the supplier shall bear the costs of the most reasonable method of dispatch to and from the customer's premises. Otherwise, Clause V applies.
7. The customer shall allow enough time for the rectification of defects and shall give the supplier sufficient opportunity to rectify defects. If this is denied, the warranty no longer applies. The manufacturer's original spare parts must be used in any case.
8. The customer does not have the right to cancellation or a reduction in purchase price unless the supplier is unable to remedy the defect or deliver a substitute, or unless the subsequent improvement or delivery of a substitute are deemed to have been unsuccessful.
9. The warranty does not extend to natural wear or damage which may have occurred after the passage of risk resulting from inappropriate use, improper handling and/or non-professional use or careless handling, excessive or inappropriate use of equipment. In particular, the supplier is not liable for any changes to the condition of products or the operating mode of products, due to inappropriate storage or climatic conditions or any other external impact. Moreover, complaints are only permissible if the equipment was duly serviced and cleaned at regular intervals.
10. The warranty is also null and void if the customer or a third party have carried out improper modifications or repair work or installed components obtained from third parties and the supplier shall not assume liability for any consequences thereof.
11. The period of warranty is not renewed if defects are rectified or if substitute deliveries are effected or substitute services are rendered.
12. Any other warranty claims which may be asserted by the customer against the supplier and its vicarious agents shall be excluded.

IX. Industrial property rights and copyrights

1. Insofar as a third party makes a justified claim against the customer due to an infringement of an industrial property right or copyright (hereinafter: protected rights) as a result of products supplied by the supplier and used as per agreement, the supplier shall at his cost either secure a right of use for the product, modify the product in such a way that it does not violate the protected right or replace the product.
2. The above mentioned obligations of the supplier apply only if the customer has informed the supplier immediately in writing of the claims (allegedly) made by a third party, does not recognize an infringement and all insulating measures and settlement negotiations (in court and out-of-court) remain. However, the above mentioned obligations end 5 years after delivery to the customer.
3. Claims by the customer are precluded insofar as the customer has to substantiate a protected right infringement. Claims by the customer are further precluded insofar as the protected right infringement has been caused by special specifications by the customer, by an application not foreseeable by the supplier or caused as a result of the customer modifying the product or the product being used together with products supplied by a third party.
4. Any other claims against the supplier are precluded; however, article XI (liability) remains unaffected as is the right of the customer to claim rescission of contract.

X. Impossibility, adjustment of contract

1. The customer has the right to claim compensation in damages, if it becomes impossible for the supplier to provide the incumbent delivery for reasons to be justified by the supplier. However the claim for damages by the customer is limited to 10% of the value of the part of the total delivery, which cannot be used for relevant operation due to the impossibility. This limitation of liability does not apply in cases of intent, gross negligence or where liability is a mandatory provision for the impossibility of performance; this does not entail a change of the burden of proof to the disadvantage of the customer. The right of the customer to withdraw from the contract remains unaffected.
2. In the event of unforeseen events in the sense of clause IV No. 2, insofar as these change the economic significance or the substance of the service or affect the business of the supplier, the contract shall be adapted accordingly in good faith. The supplier has the right to withdraw from the contract insofar as this is not economically justifiable. If the supplier wishes to make use of this right to withdraw, he has a duty to inform the customer immediately and even in cases where an extension of the delivery date has been agreed with the customer.

XI. Liability

The customer does not have the right to claim compensation in cases of positive breach of contract, violation of obligations during contractual negotiations or unlawful action. This does not apply to cases of gross negligence or intentional action, or absence of guaranteed features of the product liability law, at the loss of lives, physical injuries or damage to health or violation stipulates liability or breach of essential contractual obligations. The claim for damages for breach of essential contractual obligations is limited to reasonably foreseeable damage of contractual nature, except in cases of intent or gross negligence. The above provisions do not entail a change of the burden of proof to the disadvantage of the customer.

XII. Place of jurisdiction

1. The sole place of jurisdiction for all disputes arising directly or indirectly from the contractual relationship shall be the main headquarters or the principal place of business of the supplier to be decided at the discretion of the supplier, if the customer is an accredited merchant and does not have a general domestic place of jurisdiction, or if the customer transfers his residence or usual residence to another country at the time of concluding the contract or his usual residence at the time of bringing action.
2. The law of the Federal Republic of Germany shall apply for the contractual relationship. The use of legal norms of the German collision law, insofar as this refers to a foreign system of law, as well as the Hague Standard Purchasing Laws, the UN purchasing law or any other conventions regarding the law relating to the sale of merchandise, is excluded.
3. The contract and in particular the terms and conditions of sale is binding in all its remaining sections even if individual points become legally null and void. This shall not apply if adherence to the contract and terms and conditions of sale constitute undue hardship for one of the parties. If individual regulations of these terms of delivery become null and void due to statutory provisions, then such effective terms agreed in lieu of these shall apply which most closely relate to the sense and purpose of the null and void provision. Insofar as this is necessary, the customer undertakes to take all necessary measures to achieve this objective.
4. The above provisions also apply in the case of export business, if the provisions of the importing countries conflict with these terms and conditions of sale.

Indication of source (images): adunox GmbH
arte logo gmbh – www.arte-logo.de
SPAX International GmbH & Co. KG – www.spax.com/de
Adobe Stock: page 16/17/45/56/67/71/73/76
fotolia: page 28/30/47/54/55/60/77
shutterstock: page 35/63



adunox GmbH

Auf der Oberwiese 18
63679 Schotten (Germany)

Tel.: +49 (0) 60 44 - 966 24-0
Fax: +49 (0) 60 44 - 966 24-25

info@adunox.com
www.adunox.com

